





DOORS SECTIONS



DOORS SECTIONS




| SL. No. | Section No. | A | B | C | Weight kg/m |
|---------|--------------|-------|-------|------|-------------|
| 1 | 19538 | 47.62 | 44.45 | 1.18 | 0.667 |
| 2 | 19547 | 47.62 | 44.45 | 1.35 | 0.759 |
| 3 | 19526 | 47.62 | 44.50 | 1.62 | 0.881 |
| 4 | 19569 | 47.62 | 44.45 | 2.02 | 1.052 |
| 5 | 19501 | 47.62 | 44.45 | 3.10 | 1.509 |
| 6 | 19585 | 50.00 | 44.50 | 1.90 | 1.030 |
| 7 | 19554 | 50.00 | 44.50 | 2.50 | 1.292 |
| 8 | 19516 | 53.70 | 44.45 | 2.30 | 1.238 |
| 9 | 19600 | 85.00 | 44.45 | 1.40 | 1.037 |
| 10 | 19550 | 85.00 | 44.45 | 1.56 | 1.139 |
| 11 | 19572 | 85.00 | 44.45 | 1.80 | 1.301 |
| 12 | 19560 | 85.00 | 44.45 | 2.00 | 1.417 |
| 13 | 19509 | 85.00 | 44.45 | 3.00 | 2.050 |
| 14 | 19592 | 85.00 | 44.45 | 3.26 | 2.200 |



| SL. No. | Section No. | A | B | Weight kg/m |
|---------|--------------|-------|------|-------------|
| 1 | 19570 | 47.62 | 1.90 | 0.911 |
| 2 | 19502 | 47.62 | 2.82 | 1.294 |
| 3 | 19518 | 53.70 | 2.30 | 1.173 |


19614

1.243 kg/m




19543


0.493 kg/m



DOORS SECTIONS




| SL. No. | Section No. | A | B | Weight kg/m |
|---------|-------------|--------|------|-------------|
| 1 | 20006 | 25.00 | 2.40 | 0.918 |
| 2 | 20042 | 49.91 | 0.98 | 0.607 |
| 3 | 20086 | 49.91 | 1.30 | 0.753 |
| 4 | 19575 | 49.91 | 1.60 | 0.882 |
| 5 | 20060 | 49.91 | 2.01 | 1.072 |
| 6 | 20014 | 49.91 | 3.00 | 1.495 |
| 7 | 19625 | 83.50 | 1.28 | 0.976 |
| 8 | 19599 | 83.50 | 1.40 | 1.052 |
| 9 | 19551 | 83.50 | 1.54 | 1.139 |
| 10 | 19535 | 83.50 | 1.70 | 1.243 |
| 11 | 20111 | 83.50 | 2.11 | 1.497 |
| 12 | 19525 | 83.50 | 2.40 | 1.679 |
| 13 | 19583 | 83.50 | 3.18 | 2.145 |
| 14 | 19564 | 100.00 | 2.00 | 1.603 |
| 15 | 19653 | 100.00 | 3.00 | 2.302 |
| 16 | 20002 | 150.00 | 2.65 | 2.779 |
| 17 | 19596 | 150.00 | 3.00 | 3.116 |
| 18 | 19620 | 200.00 | 3.00 | 3.926 |



| SL. No. | Section No. | A | B | C | Weight kg/m |
|---------|-------------|-------|-------|------|-------------|
| 1 | 19542 | 47.62 | 44.45 | 1.14 | 0.607 |
| 2 | 19527 | 47.62 | 44.45 | 1.74 | 0.881 |
| 3 | 20071 | 47.62 | 44.45 | 1.88 | 0.943 |
| 4 | 20061 | 47.62 | 44.45 | 2.17 | 1.072 |
| 5 | 19512 | 47.62 | 44.45 | 3.00 | 1.426 |
| 6 | 19548 | 47.62 | 44.50 | 1.42 | 0.737 |
| 7 | 19549 | 83.50 | 44.45 | 1.62 | 1.139 |
| 8 | 19582 | 83.50 | 44.45 | 1.87 | 1.300 |
| 9 | 19508 | 83.50 | 44.45 | 3.00 | 2.107 |
| 10 | 19647 | 83.50 | 44.45 | 4.00 | 2.609 |


19568

1.600 kg/m




19578


1.006 kg/m



DOORS SECTIONS




| SL. No. | Section No. | A | B | C | D | Weight kg/m |
|---------|--------------|--------|-------|------|-------|-------------|
| 1 | 19539 | 47.62 | 44.45 | 1.40 | 10.20 | 0.719 |
| 2 | 19637 | 47.62 | 44.45 | 1.67 | 10.20 | 0.850 |
| 3 | 19528 | 47.62 | 44.45 | 1.74 | 10.16 | 0.881 |
| 4 | 19571 | 47.62 | 44.45 | 1.95 | 10.16 | 0.974 |
| 5 | 19503 | 47.62 | 44.45 | 3.18 | 10.16 | 1.501 |
| 6 | 19555 | 50.00 | 44.50 | 2.50 | 9.50 | 1.247 |
| 7 | 19580 | 83.50 | 44.45 | 1.49 | 9.50 | 1.055 |
| 8 | 20140 | 83.50 | 44.45 | 1.26 | 9.50 | 0.935 |
| 9 | 19581 | 83.50 | 44.45 | 2.00 | 9.50 | 1.384 |
| 10 | 19593 | 83.50 | 44.45 | 3.27 | 9.50 | 2.172 |
| 11 | 19648 | 83.50 | 44.45 | 4.00 | 9.50 | 2.609 |
| 12 | 19563 | 85.00 | 44.45 | 2.70 | 10.00 | 1.843 |
| 13 | 19529 | 95.25 | 44.45 | 1.70 | 25.40 | 1.301 |
| 14 | 19505 | 95.25 | 44.45 | 2.00 | 25.40 | 1.511 |
| 15 | 19556 | 101.60 | 44.50 | 2.50 | 25.00 | 1.943 |
| 16 | 19541 | 114.30 | 44.45 | 1.29 | 25.40 | 1.139 |
| 17 | 19534 | 114.30 | 44.45 | 1.35 | 10.15 | 1.190 |
| 18 | 19530 | 114.30 | 44.45 | 1.49 | 25.40 | 1.302 |
| 19 | 19623 | 114.30 | 44.45 | 1.68 | 10.15 | 1.459 |
| 20 | 19567 | 114.30 | 44.45 | 1.75 | 10.15 | 1.516 |
| 21 | 19559 | 114.30 | 44.45 | 1.95 | 10.15 | 1.674 |
| 22 | 19573 | 114.30 | 44.45 | 2.15 | 10.15 | 1.836 |
| 23 | 19574 | 114.30 | 44.45 | 2.15 | 25.40 | 1.836 |
| 24 | 19591 | 114.30 | 44.45 | 2.42 | 10.15 | 2.051 |
| 25 | 19510 | 114.30 | 44.45 | 3.18 | 10.15 | 2.646 |
| 26 | 19511 | 114.30 | 44.45 | 3.18 | 25.40 | 2.646 |
| 27 | 19517 | 150.00 | 44.45 | 2.20 | 25.40 | 2.376 |
| 28 | 19584 | 150.00 | 44.45 | 3.10 | 25.40 | 3.181 |
| 29 | 19621 | 200.00 | 44.45 | 3.00 | 25.40 | 3.894 |



| SL. No. | Section No. | A | B | Weight kg/m |
|---------|--------------|--------|-------|-------------|
| 1 | 19520 | 48.00 | 9.50 | 1.342 |
| 2 | 19519 | 100.00 | 25.00 | 1.917 |


DOORS SECTIONS




| SL. No. | Section No. | A | C | D | Weight kg/m |
|---------|--------------|-------|------|-------|-------------|
| 1 | 19576 | 47.62 | 0.99 | 10.15 | 0.537 |
| 2 | 19544 | 95.25 | 0.89 | 25.40 | 0.719 |
| 3 | 19540 | 95.25 | 1.16 | 25.40 | 0.911 |

19601


1.481 kg/m



DOORS SECTIONS



| SL. No. | Section No. | A | B | C | Weight kg/m |
|---------|--------------|-------|-------|------|-------------|
| 1 | 19566 | 47.00 | 38.00 | 2.40 | 1.102 |
| 2 | 19616 | 47.00 | 38.00 | 4.20 | 1.797 |
| 3 | 19579 | 47.50 | 38.25 | 1.58 | 0.769 |
| 4 | 19636 | 47.62 | 37.46 | 3.00 | 1.344 |
| 5 | 20138 | 83.50 | 73.35 | 1.46 | 0.998 |
| 6 | 19590 | 83.50 | 73.35 | 1.55 | 1.053 |




| SL. No. | Section No. | A | Weight kg/m |
|---------|--------------|------|-------------|
| 1 | 19613 | 1.40 | 0.830 |
| 2 | 19565 | 2.40 | 1.281 |

DOORS SECTIONS


19531

0.924 kg/m




21339

1.318 kg/m




19634

1.840 kg/m



19514


1.415 kg/m



DOORS SECTIONS


19515

3.170 kg/m




19546

2.725 kg/m




19595

2.325 kg/m




19602

1.581 kg/m




19611

1.527 kg/m



19646



0.914 kg/m



DOORS SECTIONS

19598


0.632 kg/m



| SL. No. | Section No. | A | Weight kg/m |
|---------|--------------|------|-------------|
| 1 | 19607 | 0.80 | 0.397 |
| 2 | 19597 | 1.00 | 0.492 |

19466


0.781 kg/m



MATCHING WITH 21614

19467


0.710 kg/m



MATCHING WITH 21615

41533

1.012 kg/m




MATCHING WITH 21358

DOORS SECTIONS


21159

1.969 kg/m




19674

1.466 kg/m




19675

1.211 kg/m




DOORS SECTIONS


19504 1.324 kg/m




19594 1.285 kg/m




19557 1.248 kg/m




19552 1.116 kg/m




19612 2.043 kg/m




19609 0.974 kg/m











19619 1.124 kg/m



20861 0.858 kg/m




DOORS SECTIONS




DOORS SECTIONS


19661 1.053 kg/m




S5452 2.178 kg/m




19671 3.118 kg/m




19673 1.134 kg/m




19670 1.624 kg/m




19669 0.662 kg/m








S5637 1.948 kg/m





S5484 2.790 kg/m



DOORS SECTIONS




| SL. No. | Section No. | A | Weight kg/m |
|---------|--------------|------|-------------|
| 1 | 20130 | 1.40 | 0.947 |
| 2 | 20024 | 1.70 | 1.158 |
| 3 | 20001 | 2.65 | 1.657 |
| 4 | 20137 | 3.18 | 1.954 |



DOORS SECTIONS


19533

2.863 kg/m




19553

1.800 kg/m




19558

1.926 kg/m



19618


2.111 kg/m



DOORS SECTIONS


19610

1.753 kg/m




19635

1.876 kg/m




19622

1.986 kg/m



19654


2.393 kg/m



DOORS SECTIONS


21473

0.988 kg/m




19664

2.047 kg/m




19608

1.626 kg/m




DOORS SECTIONS



| SL. No. | Section No. | A | Weight kg/m |
|---------|--------------|------|-------------|
| 1 | 21033 | 2.64 | 0.945 |
| 2 | 20515 | 3.00 | 1.056 |

MATCHING WITH 21034,20513




| SL. No. | Section No. | A | Weight kg/m |
|---------|--------------|------|-------------|
| 1 | 21034 | 2.64 | 1.555 |
| 2 | 20513 | 3.00 | 1.705 |

MATCHING WITH 21033,20515


19641

1.654 kg/m



20153


0.976 kg/m



DOORS SECTIONS

19657


1.031 kg/m



MATCHING WITH 19658

19658


0.650 kg/m



MATCHING WITH 19657


21311

3.524 kg/m



20900


1.207 kg/m



DOORS SECTIONS


S6178

2.905 kg/m




S6616

2.593 kg/m




S6176

4.209 kg/m



S6591


1.793 kg/m



DOORS SECTIONS


19665

3.304 kg/m




S6590

2.956 kg/m



21370


0.912 kg/m



MATCHING WITH 20513

19688


3.548 kg/m



DOORS SECTIONS


19615

3.145 kg/m




21474

1.881 kg/m



19663


3.560 kg/m



DOORS SECTIONS


S6181

4.479 kg/m




19642

2.981 kg/m



20087


2.079 kg/m



DOORS SECTIONS


S6595

3.122 kg/m




19672

3.786 kg/m



20154


1.757 kg/m



DOORS SECTIONS


20996

2.102 kg/m




21312

4.033 kg/m



G101117


2.421 kg/m



DOORS SECTIONS


G101279

2.405 kg/m




G101360

3.543 kg/m



G102796


2.277 kg/m



DOORS SECTIONS


19638

1.687 kg/m




29562

1.655 kg/m




19660

0.623 kg/m




15171

0.580 kg/m




29694

0.416 kg/m




19677

2.506 kg/m




19676

0.796 kg/m




DOORS SECTIONS



DOORS SECTIONS


19678

1.573 kg/m




19679

0.843 kg/m




19689

0.768 kg/m



G101132


1.739 kg/m



MATCHING WITH 16039


G101278

1.359 kg/m




G101133

0.797 kg/m



G101134


1.058 kg/m



DOORS SECTIONS

G102035


0.314 kg/m



MATCHING WITH G102036

G102036

0.527 kg/m



MATCHING WITH G102035


G102794

1.716 kg/m




G102795

1.329 kg/m




G103136

1.155 kg/m




G103135

2.192 kg/m



G103134


1.747 kg/m



DOORS SECTIONS


G103137

3.469 kg/m




G103138

6.340 kg/m



G103100

3.713 kg/m




MATCHING WITH 19447,G103108

DOORS SECTIONS

G103103


3.905 kg/m



MATCHING WITH G103108

G103101


4.855 kg/m



MATCHING WITH 19447,G103108



G103102

5.047 kg/m




MATCHING WITH 19447,G103108

PARTITION SECTION



PARTITION SECTION


DOUBLE GROOVE



| SL. No. | Section No. | A | B | C | D | Weight kg/m |
|---------|--------------|--------|-------|------|------|-------------|
| 1 | 20089 | 47.80 | 24.00 | 0.59 | 7.50 | 0.316 |
| 2 | 20050 | 50.80 | 25.40 | 0.63 | 7.50 | 0.350 |
| 3 | 20044 | 50.80 | 25.40 | 0.79 | 7.50 | 0.414 |
| 4 | 20079 | 50.80 | 25.40 | 0.98 | 7.50 | 0.496 |
| 5 | 20031 | 50.80 | 25.40 | 1.19 | 7.50 | 0.581 |
| 6 | 20017 | 50.80 | 25.40 | 1.34 | 8.00 | 0.651 |
| 7 | 20046 | 63.50 | 38.10 | 0.66 | 7.50 | 0.455 |
| 8 | 20069 | 63.50 | 38.10 | 0.83 | 7.50 | 0.547 |
| 9 | 20034 | 63.50 | 38.10 | 0.92 | 7.50 | 0.593 |
| 10 | 20053 | 63.50 | 38.10 | 1.08 | 7.50 | 0.686 |
| 11 | 20026 | 63.50 | 38.10 | 1.21 | 7.50 | 0.761 |
| 12 | 20062 | 63.50 | 38.10 | 1.28 | 8.00 | 0.805 |
| 13 | 20047 | 63.50 | 38.10 | 1.53 | 8.00 | 0.942 |
| 14 | 20072 | 63.50 | 38.10 | 1.85 | 8.00 | 1.095 |
| 15 | 20064 | 63.50 | 38.10 | 2.50 | 8.00 | 1.444 |
| 16 | 20004 | 63.50 | 38.10 | 3.18 | 8.00 | 1.790 |
| 17 | 20143 | 75.00 | 38.10 | 1.20 | 8.00 | 0.832 |
| 18 | 20144 | 75.00 | 45.00 | 1.25 | 8.00 | 0.908 |
| 19 | 20037 | 82.50 | 38.00 | 1.10 | 8.00 | 0.833 |
| 20 | 20124 | 89.00 | 32.00 | 1.50 | 8.00 | 1.079 |
| 21 | 20035 | 82.50 | 38.00 | 1.60 | 8.00 | 1.139 |
| 22 | 20160 | 82.50 | 38.00 | 3.18 | 8.00 | 2.115 |
| 23 | 20021 | 89.00 | 32.00 | 2.75 | 8.00 | 1.905 |
| 24 | 20147 | 92.00 | 31.75 | 1.30 | 8.00 | 0.972 |
| 25 | 20152 | 92.00 | 31.75 | 2.00 | 8.00 | 1.422 |
| 26 | 20051 | 101.60 | 44.45 | 1.20 | 8.00 | 1.060 |
| 27 | 20028 | 101.60 | 44.45 | 1.50 | 8.00 | 1.301 |
| 28 | 20076 | 101.60 | 44.45 | 1.93 | 8.00 | 1.608 |
| 29 | 20075 | 101.60 | 44.45 | 2.40 | 8.00 | 1.954 |
| 27 | 20057 | 101.60 | 44.45 | 2.50 | 8.00 | 2.050 |
| 27 | 20066 | 101.60 | 44.45 | 3.00 | 8.00 | 2.415 |
| 28 | 20010 | 101.60 | 44.45 | 3.18 | 8.00 | 2.683 |
| 29 | 20113 | 101.60 | 44.45 | 3.60 | 8.00 | 2.849 |
| 30 | 20145 | 116.00 | 44.50 | 1.50 | 8.00 | 1.404 |
| 31 | 20081 | 123.00 | 44.45 | 1.50 | 8.00 | 1.456 |

PARTITION SECTION

SINGLE GROOVE




| SL. No. | Section No. | A | B | C | D | Weight kg/m |
|---------|--------------|--------|-------|------|------|-------------|
| 1 | 20088 | 47.80 | 24.00 | 0.60 | 7.50 | 0.274 |
| 2 | 20058 | 50.00 | 25.00 | 2.00 | 8.00 | 0.849 |
| 3 | 20049 | 50.80 | 25.40 | 0.73 | 7.50 | 0.342 |
| 4 | 20043 | 50.80 | 25.40 | 0.91 | 7.50 | 0.414 |
| 5 | 20080 | 50.80 | 25.40 | 1.09 | 7.50 | 0.489 |
| 6 | 20030 | 50.80 | 25.40 | 1.30 | 8.00 | 0.581 |
| 7 | 20016 | 50.80 | 25.40 | 1.50 | 8.00 | 0.651 |
| 8 | 20045 | 63.50 | 38.10 | 0.75 | 7.50 | 0.455 |
| 9 | 20068 | 63.50 | 38.10 | 0.92 | 7.50 | 0.546 |
| 10 | 20033 | 63.50 | 38.10 | 1.01 | 7.50 | 0.595 |
| 11 | 20054 | 63.50 | 38.10 | 1.17 | 7.50 | 0.681 |
| 12 | 20027 | 63.50 | 38.10 | 1.31 | 8.00 | 0.758 |
| 13 | 20063 | 63.50 | 38.10 | 1.41 | 8.00 | 0.818 |
| 14 | 20125 | 63.50 | 38.10 | 1.50 | 8.00 | 0.861 |
| 15 | 20048 | 63.50 | 38.10 | 1.65 | 8.00 | 0.942 |
| 16 | 20073 | 63.50 | 38.10 | 1.95 | 8.00 | 1.092 |
| 17 | 20065 | 63.50 | 38.10 | 2.50 | 8.00 | 1.369 |
| 18 | 20005 | 63.50 | 38.10 | 3.18 | 8.00 | 1.777 |
| 19 | 20038 | 82.50 | 38.00 | 1.20 | 8.00 | 0.829 |
| 20 | 20036 | 82.50 | 38.00 | 1.70 | 8.00 | 1.139 |
| 21 | 20159 | 82.50 | 38.00 | 3.18 | 8.00 | 2.037 |
| 22 | 20158 | 82.50 | 82.50 | 1.80 | 8.00 | 1.633 |
| 23 | 20032 | 89.00 | 32.00 | 2.75 | 8.00 | 1.787 |
| 24 | 20126 | 92.00 | 29.50 | 1.15 | 7.50 | 0.794 |
| 25 | 20128 | 92.00 | 32.00 | 1.30 | 8.00 | 0.910 |
| 26 | 20052 | 101.60 | 44.45 | 1.27 | 8.00 | 1.049 |
| 27 | 20029 | 101.60 | 44.45 | 1.60 | 8.00 | 1.301 |
| 28 | 20146 | 101.60 | 44.45 | 1.90 | 8.50 | 1.534 |
| 29 | 20078 | 101.60 | 44.45 | 2.01 | 8.00 | 1.605 |
| 30 | 20077 | 101.60 | 44.45 | 2.47 | 8.00 | 1.950 |
| 31 | 20102 | 101.60 | 44.45 | 2.50 | 8.00 | 1.977 |
| 32 | 20067 | 101.60 | 44.45 | 3.00 | 8.00 | 2.342 |
| 33 | 20011 | 101.60 | 44.45 | 3.18 | 8.00 | 2.541 |
| 34 | 20112 | 101.60 | 44.45 | 3.70 | 8.00 | 2.846 |
| 35 | 20059 | 123.00 | 44.45 | 1.50 | 8.00 | 1.394 |
| 36 | 20136 | 123.00 | 44.45 | 3.00 | 8.00 | 2.687 |
| 37 | 20157 | 127.00 | 44.45 | 3.00 | 8.00 | 2.752 |
| 38 | 20139 | 127.20 | 25.25 | 1.22 | 8.00 | 1.048 |

PARTITION SECTION



20023

2.150 kg/m



20022


1.933 kg/m




| SL. No. | Section No. | A | Weight kg/m |
|---------|-------------|------|-------------|
| 1 | 20151 | 1.10 | 0.195 |
| 2 | 20121 | 1.20 | 0.210 |
| 3 | 20107 | 1.44 | 0.246 |

20129

0.346 kg/m



PARTITION SECTION





| SL. No. | Section No. | A | Weight kg/m |
|---------|--------------|------|-------------|
| 1 | 20074 | 2.45 | 1.951 |
| 2 | 20008 | 3.18 | 2.508 |

1.992 kg/m


20007

1.995 kg/m



G100757


1.358 kg/m




MATCHING SECTION 19377

PARTITION SECTION


20122 1.774 kg/m




20123 1.943 kg/m




20362 1.153 kg/m




20363 1.297 kg/m



G100758 1.453 kg/m




G101281 1.437 kg/m




MATCHING SECTION 19377

G101362 1.923 kg/m




G101363 3.063 kg/m



PARTITION SECTION


20055

1.032 kg/m




20134

1.036 kg/m




20056

0.969 kg/m




17587

1.147 kg/m



20133


0.925 kg/m



PARTITION SECTION


20012

0.886 kg/m




20156

1.062 kg/m




20148

0.661 kg/m




20142

0.901 kg/m




20019

2.655 kg/m




20020

2.818 kg/m




20135

2.673 kg/m



20161


0.407 kg/m



PARTITION SECTION


20127

1.887 kg/m



G101978


1.471 kg/m



MATCHING SECTION 19383


G103621

2.025 kg/m



G104056

2.512 kg/m




MATCHING SECTION 19360

SAMOSA SECTION

20103

0.944 kg/m



20106

1.875 kg/m

