


FLAT BARS



SL. No.	Section No.	A	B	Weight kg/m
1	10546	6.40	5.90	0.102
2	10171	8.00	2.00	0.043
3	10318	8.50	8.00	0.183
4	G103088	9.50	7.80	0.200
5	G100256	10.00	6.00	0.162
6	10277	10.00	8.00	0.216
7	G102946	10.90	9.00	0.264
8	G100231	11.10	7.92	0.237
9	G100297	11.50	3.50	0.108
10	10351	11.50	6.35	0.197
11	G104288	11.50	8.50	0.264
12	10001	12.00	2.00	0.065
13	10061	12.00	3.00	0.097
14	10164	12.00	4.00	0.130
15	10110	12.50	6.00	0.202
16	10624	12.70	3.18	0.109
17	10626	12.70	4.76	0.163
18	10036	12.70	5.00	0.171
19	10596	12.70	6.40	0.219
20	10628	12.70	7.94	0.272
21	G100230	12.70	9.53	0.326
22	G102975	13.00	10.00	0.351
23	10604	14.00	3.00	0.113
24	G103090	14.20	10.00	0.383
25	G103264	14.30	8.60	0.332
26	10153	15.00	2.00	0.081
27	10452	15.00	2.00	0.081
28	10087	15.00	3.00	0.122
29	10144	15.00	8.00	0.324
30	10103	15.00	8.55	0.346
31	G100233	15.75	9.53	0.405
32	G103265	15.80	7.80	0.333
33	10278	15.87	2.34	0.100
34	10625	15.88	3.18	0.136
35	10627	15.88	6.35	0.272
36	G101582	15.88	7.94	0.340
37	10573	15.90	9.57	0.410
38	10135	16.95	4.15	0.190
39	10569	16.95	4.27	0.195
40	10220	17.00	4.00	0.183
41	10160	17.50	1.80	0.085
42	10122	18.00	1.55	0.075
43	10109	18.00	2.50	0.121
44	10563	18.00	3.00	0.145
45	G103086	18.20	9.50	0.466

SL. No.	Section No.	A	B	Weight kg/m
46	G103225	18.40	4.65	0.231
47	10288	18.75	4.00	0.202
48	10279	19.00	1.82	0.093
49	10003	19.00	5.00	0.257
50	10035	19.00	9.50	0.487
51	10458	19.00	12.70	0.651
52	10123	19.05	2.25	0.116
53	10004	19.05	2.95	0.152
54	10005	19.05	3.18	0.163
55	10006	19.05	4.78	0.246
56	10007	19.05	6.35	0.327
57	10579	19.05	15.88	0.816
58	10600	19.50	14.50	0.763
59	10280	19.60	1.10	0.058
60	10118	20.00	1.60	0.086
61	10365	20.00	2.10	0.113
62	10008	20.00	3.00	0.162
63	10223	20.00	4.00	0.215
64	10065	20.00	5.00	0.270
65	10106	20.00	6.00	0.324
66	G103087	20.00	7.10	0.383
67	10009	20.00	8.00	0.432
68	10138	20.00	10.00	0.540
69	G100520	20.00	12.00	0.648
70	10302	20.00	15.00	0.810
71	10500	21.00	18.00	1.020
72	10129	22.00	2.00	0.118
73	10547	22.00	4.00	0.237
74	10091	23.00	2.50	0.155
75	10545	24.00	4.00	0.259
76	10095	25.00	1.00	0.068
77	10116	25.00	1.50	0.101
78	10281	25.00	2.80	0.189
79	10010	25.00	3.00	0.203
80	G103226	25.00	4.90	0.331
81	10178	25.00	5.00	0.337
82	10011	25.00	6.00	0.405
83	10270	25.00	6.50	0.439
84	10107	25.00	8.00	0.540
85	10506	25.00	10.00	0.675
86	10197	25.00	15.00	1.013
87	10222	25.00	16.00	1.080
88	10075	25.40	2.00	0.137
89	10080	25.40	2.30	0.158
90	10012	25.40	2.95	0.202
91	10013	25.40	3.18	0.218
92	10411	25.40	3.18	0.218
93	10034	25.40	4.00	0.274
94	10014	25.40	6.35	0.435
95	10152	25.40	9.52	0.652

FLAT BARS

SL. No.	Section No.	A	B	Weight kg/m
96	10102	25.40	12.75	0.874
97	10391	25.40	15.88	1.089
98	10191	25.40	19.05	1.304
99	10581	25.40	22.23	1.524
100	10101	25.45	4.78	0.328
101	G103084	26.20	7.80	0.551
102	10094	27.00	15.00	1.093
103	10396	27.00	24.00	1.749
104	10273	28.00	15.00	1.134
105	G101198	28.00	25.70	1.943
106	10622	29.00	2.00	0.156
107	10530	29.00	20.00	1.566
108	10168	30.00	2.00	0.162
109	10265	30.00	2.90	0.235
110	10189	30.00	3.00	0.243
111	10015	30.00	5.00	0.405
112	10550	30.00	6.00	0.486
113	10142	30.00	8.00	0.648
114	10441	30.00	10.00	0.809
115	10375	30.00	13.00	1.053
116	10274	30.00	15.00	1.215
117	10195	30.00	20.00	1.620
118	10611	30.00	25.00	2.025
119	10017	30.18	3.96	0.322
120	10079	31.75	2.30	0.197
121	10018	31.75	2.95	0.253
122	10347	31.75	3.18	0.272
123	10077	31.75	4.78	0.410
124	10019	31.75	6.35	0.544
125	10086	31.75	9.52	0.816
126	10524	31.75	12.70	1.088
127	10258	31.75	15.88	1.361
128	10198	31.75	19.05	1.633
129	10193	31.75	25.40	2.177
130	10409	31.85	3.18	0.273
131	10226	32.00	6.00	0.518
132	10227	32.00	10.00	0.864
133	10504	32.00	12.00	1.036
134	G103085	32.30	7.10	0.619
135	10120	33.50	12.00	1.085
136	G102499	33.78	3.40	0.310
137	10539	34.00	15.00	1.377
138	10593	34.00	18.00	1.652
139	10211	35.00	2.96	0.279
140	10397	35.00	5.00	0.472
141	G102732	35.00	20.00	1.890
142	G102537	35.00	25.00	2.362
143	10356	37.00	2.00	0.199
144	G103089	37.60	7.10	0.720
145	10477	38.00	1.50	0.154

SL. No.	Section No.	A	B	Weight kg/m
146	10126	38.00	2.00	0.205
147	10190	38.00	3.00	0.308
148	10029	38.00	3.20	0.328
149	10181	38.00	5.00	0.513
150	10511	38.00	16.00	1.641
151	10336	38.00	20.00	2.052
152	10020	38.10	3.18	0.327
153	10410	38.10	3.18	0.327
154	G102500	38.10	3.40	0.349
155	10421	38.10	3.81	0.392
156	10033	38.10	4.78	0.492
157	10405	38.10	5.08	0.522
158	10021	38.10	6.35	0.653
159	G101583	38.10	7.940	0.816
160	G102506	38.10	8.00	0.823
161	10088	38.10	9.52	0.979
162	10104	38.10	12.70	1.306
163	10559	38.10	19.05	1.959
164	10199	38.10	25.40	2.613
165	10267	38.10	31.75	3.226
166	10140	40.00	1.60	0.173
167	10031	40.00	3.00	0.324
168	10047	40.00	4.00	0.432
169	10048	40.00	5.00	0.540
170	10503	40.00	6.00	0.648
171	10165	40.00	6.50	0.702
172	10148	40.00	8.00	0.864
173	10057	40.00	10.00	1.080
174	10083	40.00	12.00	1.296
175	10093	40.00	15.00	1.620
176	10466	40.00	16.00	1.728
177	10137	40.00	20.00	2.160
178	10613	40.00	25.00	2.700
179	10568	40.00	30.00	3.240
180	10529	40.00	32.00	3.456
181	10359	40.00	33.00	3.564
182	10459	41.50	4.00	0.448
183	10022	42.00	6.00	0.680
184	10307	42.00	27.00	3.061
185	10555	42.50	2.80	0.321
186	10358	43.00	2.00	0.232
187	10373	44.00	16.00	1.900
188	10023	44.45	3.18	0.382
189	10366	44.45	12.70	1.524
190	10068	44.45	19.05	2.286
191	10218	44.45	25.40	3.048
192	10380	45.00	6.00	0.729
193	S6816	45.00	8.00	0.972
194	10601	45.00	12.00	1.458
195	10162	45.00	25.00	3.037

FLAT BARS

SL. No.	Section No.	A	B	Weight kg/m
196	12146	45.00	32.00	3.888
197	10570	46.00	8.00	0.993
198	10067	47.00	2.00	0.254
199	10538	47.30	7.20	0.919
200	10599	49.00	6.00	0.793
201	10143	50.00	3.00	0.405
202	10030	50.00	4.00	0.540
203	10072	50.00	5.00	0.675
204	10069	50.00	6.00	0.810
205	10251	50.00	6.50	0.877
206	10100	50.00	8.00	1.080
207	10042	50.00	10.00	1.350
208	10232	50.00	12.00	1.619
209	10113	50.00	13.70	1.850
210	10145	50.00	15.00	2.025
211	10286	50.00	20.00	2.700
212	10612	50.00	25.00	3.375
213	10379	50.00	30.00	4.050
214	10510	50.80	3.18	0.436
215	G102501	50.80	3.40	0.466
216	10024	50.80	6.35	0.870
217	10037	50.80	9.52	1.306
218	10038	50.80	12.70	1.742
219	10071	50.80	15.88	2.178
220	10200	50.80	19.05	2.613
221	10217	50.80	25.40	3.483
222	10475	50.80	32.00	4.389
223	10467	50.80	38.10	5.225
224	10259	50.80	44.45	6.096
225	10515	51.00	46.00	6.334
226	10527	52.00	42.00	5.896
227	10256	54.00	3.30	0.481
228	10541	54.00	45.00	6.561
229	10597	55.00	8.00	1.188
230	10173	55.00	35.00	5.198
231	G102649	57.00	47.00	7.233
232	10201	57.15	12.70	1.960
233	G103884	57.15	38.1	5.879
234	G101311	57.15	44.45	6.858
235	G103045	57.20	6.35	0.980
236	10487	59.00	21.00	3.345
237	10293	59.54	6.35	1.020
238	10312	59.95	3.33	0.539
239	G103128	60.00	3.40	0.550
240	10053	60.00	6.00	0.972
241	G103596	60.00	7.00	1.134
242	10039	60.00	10.00	1.620
243	G102538	60.00	12.00	1.944
244	10505	60.00	15.00	2.430
245	10196	60.00	20.00	3.240

SL. No.	Section No.	A	B	Weight kg/m
246	10602	60.00	25.00	4.050
247	G101199	60.00	25.70	4.163
248	10156	60.00	30.00	4.860
249	10610	60.00	35.00	5.670
250	10608	60.00	40.00	6.480
251	10614	60.00	50.00	8.100
252	10480	60.30	32.00	5.210
253	10208	61.00	43.00	7.082
254	10389	63.00	8.00	1.360
255	10390	63.00	12.00	2.041
256	10184	63.00	38.00	6.464
257	G102502	63.50	3.40	0.583
258	10325	63.50	4.76	0.816
259	10025	63.50	6.35	1.089
260	10073	63.50	9.52	1.632
261	G102613	63.50	10.00	1.714
262	10468	63.50	12.70	2.177
263	10494	63.50	15.88	2.722
264	10202	63.50	19.05	3.266
265	10194	63.50	25.40	4.355
266	10260	63.50	31.75	5.443
267	10203	63.50	44.45	7.621
268	10268	63.50	50.80	8.709
269	10050	64.00	12.00	2.074
270	10413	64.00	34.00	5.875
271	10368	64.50	4.00	0.696
272	10131	65.00	50.00	8.775
273	G103797	65.00	55.00	9.652
274	10098	66.00	9.00	1.604
275	10295	66.50	14.20	2.550
276	10551	69.85	31.75	5.988
277	10216	69.85	50.80	9.580
278	G101041	69.85	63.50	11.975
279	10343	69.90	64.00	12.078
280	10225	70.00	3.18	0.601
281	10552	70.00	6.00	1.134
282	10615	70.00	10.00	1.890
283	10245	70.00	12.00	2.268
284	G100862	70.00	15.00	2.835
285	G102293	70.00	16.00	3.024
286	10331	70.00	20.00	3.780
287	G100090	70.00	25.00	4.725
288	10188	70.00	30.00	5.670
289	10482	70.00	40.00	7.560
290	10206	72.00	52.00	10.109
291	10269	73.00	2.70	0.532
292	10572	75.00	3.00	0.607
293	10166	75.00	5.00	1.013
294	10382	75.00	6.00	1.215
295	10332	75.00	8.00	1.620

FLAT BARS

SL. No.	Section No.	A	B	Weight kg/m
296	10125	75.00	10.00	2.025
297	10084	75.00	12.00	2.430
298	10111	75.00	12.50	2.531
299	10540	75.00	27.00	5.467
300	G100506	75.00	40.00	8.100
301	10609	76.00	10.00	2.052
302	10052	76.00	15.00	3.078
303	S6274	76.00	20.00	4.104
304	10026	76.20	6.35	1.306
305	10059	76.20	9.52	1.958
306	10058	76.20	12.70	2.613
307	10476	76.20	16.00	3.291
308	10204	76.20	19.05	3.919
309	10285	76.20	25.40	5.225
310	10205	76.20	31.75	6.532
311	10315	76.20	38.10	7.838
312	G101310	76.20	44.45	9.145
313	10362	76.20	50.80	10.451
314	10584	76.20	57.15	11.758
315	10518	76.20	63.50	13.064
316	10287	80.00	4.00	0.864
317	10520	80.00	5.00	1.080
318	10049	80.00	6.00	1.296
319	10054	80.00	8.00	1.728
320	10060	80.00	10.00	2.160
321	10531	80.00	12.00	2.592
322	G102593	80.00	12.70	2.743
323	10537	80.00	15.00	3.240
324	G102294	80.00	16.00	3.456
325	10261	80.00	20.00	4.320
326	10544	80.00	25.00	5.400
327	10154	80.00	30.00	6.480
328	10603	80.00	60.00	12.960
329	10130	80.00	70.00	15.120
330	10489	82.00	2.00	0.442
331	G102063	82.55	6.35	1.415
332	10542	85.00	32.00	7.344
333	10133	85.00	65.00	14.918
334	10478	85.00	68.00	15.606
335	10136	85.72	34.92	8.082
336	10490	86.00	2.00	0.464
337	10554	87.00	9.00	2.114
338	10236	88.00	45.00	10.692
339	10590	88.90	12.70	3.048
340	10580	88.90	15.88	3.811
341	10404	88.90	25.40	6.096
342	10582	88.90	31.75	7.621
343	10560	88.90	38.10	9.145
344	10321	88.90	76.20	18.290
345	10367	89.20	20.00	4.816

SL. No.	Section No.	A	B	Weight kg/m
346	10516	89.50	44.50	10.753
347	10497	90.00	12.00	2.916
348	G102539	90.00	20.00	4.860
349	10556	90.00	25.00	6.075
350	10350	90.00	30.00	7.290
351	10353	91.00	8.00	1.965
352	S5358	95.00	4.00	1.026
353	10117	95.00	5.00	1.282
354	10486	100.00	1.50	0.405
355	10577	100.00	1.60	0.432
356	10383	100.00	6.00	1.620
357	10376	100.00	8.00	2.160
358	10064	100.00	10.00	2.700
359	10045	100.00	12.00	3.240
360	10082	100.00	12.50	3.375
361	10055	100.00	15.00	4.050
362	10096	100.00	20.00	5.400
363	10147	100.00	25.00	6.750
364	10324	100.00	30.00	8.100
365	10186	100.00	50.00	13.500
366	10607	100.00	60.00	16.200
367	10499	100.00	70.00	18.900
368	10158	100.00	80.00	21.600
369	10305	100.30	16.00	4.333
370	G104185	101.00	3.00	0.818
371	10349	101.60	3.18	0.872
372	G102503	101.60	5.16	1.415
373	10028	101.60	6.35	1.742
374	10046	101.60	12.70	3.484
375	G101138	101.60	13.20	3.621
376	10534	101.60	19.05	5.225
377	10215	101.60	22.22	6.095
378	10214	101.60	25.40	6.967
379	10469	101.60	32.00	8.778
380	10561	101.60	38.10	10.451
381	10470	101.60	40.00	10.972
382	10262	101.60	50.80	13.935
383	10361	101.60	76.20	20.903
384	10304	102.00	36.00	9.914
385	10276	102.00	82.00	22.583
386	10424	103.00	7.40	2.058
387	10406	103.00	43.00	11.958
388	10309	103.00	53.00	14.739
389	10363	103.00	63.00	17.520
390	10423	105.00	5.00	1.417
391	10043	105.00	15.00	4.253
392	G100553	105.00	20.00	5.670
393	10301	107.50	2.65	0.769
394	G103127	107.00	3.40	0.982
395	10090	110.00	12.00	3.564

FLAT BARS

SL. No.	Section No.	A	B	Weight kg/m
396	10169	110.00	30.00	8.910
397	10235	112.00	60.00	18.144
398	G102504	114.30	6.35	1.959
399	G101309	114.30	25.40	7.838
400	G101308	114.30	31.75	9.798
401	10239	115.00	3.30	1.025
402	10127	115.00	25.00	7.762
403	10257	115.00	60.00	18.630
404	10308	117.00	42.00	13.267
405	10374	118.00	31.00	9.876
406	10395	120.00	4.00	1.296
407	10393	120.00	6.00	1.944
408	10394	120.00	8.00	2.592
409	10051	120.00	10.00	3.240
410	G102534	120.00	10.70	3.466
411	10124	120.00	25.00	8.100
412	10444	120.00	69.00	22.356
413	10355	120.00	80.00	25.920
414	10402	120.00	95.00	30.780
415	10163	121.00	12.00	3.920
416	10299	122.00	12.70	4.183
417	10298	122.00	17.00	5.600
418	10271	122.00	38.10	12.550
419	10303	123.00	2.90	0.963
420	10548	123.00	15.00	4.981
421	S6578	125.00	3.00	1.012
422	10445	125.00	6.00	2.025
423	10436	125.00	10.00	3.375
424	G103310	125.00	12.00	4.050
425	S6206	125.00	15.00	5.062
426	10498	125.00	20.00	6.750
427	10228	125.00	50.80	17.145
428	10213	127.00	3.00	1.028
429	10076	127.00	6.35	2.177
430	10578	127.00	7.94	2.722
431	10041	127.00	9.52	3.264
432	10151	127.00	12.70	4.355
433	10488	127.00	15.88	5.445
434	10471	127.00	20.00	6.858
435	10472	127.00	25.40	8.709
436	10583	127.00	31.75	10.887
437	10473	127.00	32.00	10.972
438	10474	127.00	40.00	13.716
439	10263	127.00	50.80	17.419
440	10159	127.00	76.20	26.129
441	G103046	130.00	5.00	1.755
442	10317	130.00	10.00	3.510
443	10172	130.00	13.00	4.563
444	10283	130.00	65.00	22.815
445	G101090	133.00	25.00	8.977

SL. No.	Section No.	A	B	Weight kg/m
446	10519	134.00	10.00	3.618
447	10230	135.00	44.45	16.202
448	10231	135.00	82.55	30.089
449	10403	136.00	43.00	15.789
450	10300	137.00	20.00	7.398
451	10132	140.00	10.00	3.780
452	G100061	140.00	12.70	4.800
453	10316	140.00	15.80	5.972
454	10442	140.00	16.50	6.237
455	10170	140.00	50.00	18.900
456	10492	140.00	57.00	21.546
457	G103529	140.00	91.00	34.398
458	10558	141.00	32.00	12.182
459	S6161	141.50	10.00	3.820
460	10585	143.60	12.70	4.924
461	10085	150.00	6.00	2.430
462	10128	150.00	7.50	3.037
463	10292	150.00	8.00	3.240
464	10066	150.00	10.00	4.050
465	10089	150.00	12.00	4.860
466	G100496	150.00	15.00	6.075
467	10294	150.00	16.00	6.480
468	10097	150.00	19.00	7.695
469	10174	150.00	20.00	8.100
470	10070	150.00	25.00	10.125
471	10134	150.00	30.00	12.150
472	10185	150.00	40.00	16.200
473	10249	150.00	45.00	18.225
474	10517	150.00	50.00	20.250
475	10284	150.00	75.00	30.375
476	10105	152.40	6.40	2.633
477	10575	152.40	9.52	3.917
478	10179	152.40	12.70	5.225
479	10557	152.40	19.05	7.838
480	10252	152.40	31.75	13.064
481	10264	152.40	50.80	20.903
482	10360	152.40	63.50	26.129
483	10451	152.40	101.60	41.806
484	10176	154.00	2.00	0.832
485	10522	154.00	12.60	5.239
486	10352	158.00	8.50	3.626
487	10443	158.00	16.00	6.825
488	10229	158.00	35.00	14.930
489	10401	159.00	3.00	1.288
490	10571	160.00	3.00	1.296
491	10250	160.00	6.00	2.592
492	10418	160.00	6.40	2.764
493	10533	160.00	8.00	3.455
494	10523	160.00	10.00	4.320
495	10247	160.00	18.00	7.776

FLAT BARS

SL. No.	Section No.	A	B	Weight kg/m
496	G100652	160.00	20.00	8.640
497	10167	160.00	25.00	10.800
498	10525	160.00	45.00	19.440
499	10526	160.00	50.00	21.600
500	10240	160.00	55.00	23.800
501	10115	162.00	10.00	4.374
502	10238	165.00	14.00	6.236
503	10549	165.00	15.00	6.682
504	10493	165.00	50.00	22.275
505	10297	167.00	22.00	9.920
506	10319	167.00	30.00	13.527
507	10320	167.00	68.00	30.661
508	10387	170.00	12.00	5.508
509	10543	170.00	20.00	9.180
510	10221	170.00	32.00	14.688
511	G103807	171.90	9.64	4.474
512	10272	172.00	12.00	5.572
513	10233	173.00	14.00	6.539
514	10398	175.00	3.00	1.417
515	10187	175.00	50.00	23.625
516	10210	175.00	52.00	24.570
517	10507	175.00	65.00	30.712
518	10501	177.00	16.00	7.646
519	G102505	177.80	6.35	3.048
520	10392	177.80	9.52	4.570
521	10254	178.00	10.50	5.045
522	10244	178.00	19.50	9.371
523	S6747	180.00	6.00	2.916
524	G102042	180.00	10.00	4.860
525	10484	180.00	15.00	7.290
526	10412	180.00	19.00	9.234
527	10182	180.00	40.00	19.440
528	10183	190.00	4.00	2.052
529	10209	190.00	50.00	25.650
530	10483	190.50	9.53	4.901
531	S6697	194.00	54.00	28.285
532	G101722	195.00	12.00	6.318
533	10313	195.00	30.00	15.795
534	10592	200.00	4.00	2.160
535	10536	200.00	8.00	4.320
536	10326	200.00	8.00	4.320
537	10255	200.00	10.00	5.400
538	10502	200.00	12.00	6.480
539	10180	200.00	13.00	7.020
540	10485	200.00	15.00	8.100
541	10341	200.00	25.00	13.500
542	10514	200.00	40.00	21.600
543	10266	203.20	12.70	6.967
544	10289	203.00	16.00	8.770
545	10587	203.20	19.05	10.451

SL. No.	Section No.	A	B	Weight kg/m
546	10224	204.00	5.00	2.754
547	10237	208.00	45.00	25.272
548	10333	210.00	12.00	6.804
549	10338	210.00	15.00	8.505
550	10598	212.00	33.00	18.889
551	10495	220.00	8.00	4.752
552	10381	220.00	16.00	9.504
553	10455	222.00	10.25	6.143
554	10574	225.00	8.00	4.860
555	10521	227.00	91.00	55.774
556	10323	228.60	26.50	16.356
557	10400	229.00	19.00	11.747
558	10371	230.00	6.00	3.726
559	10431	230.00	9.75	6.054
560	10440	230.00	112.00	69.552
561	10334	232.00	42.00	26.308
562	10290	238.00	16.00	10.282
563	10508	240.00	90.00	58.320
564	10386	244.00	7.00	4.611
565	10241	245.00	18.00	11.907
566	10330	246.00	20.00	13.284
567	10327	250.00	10.00	6.750
568	10481	250.00	12.00	8.100
569	10435	250.00	19.00	12.825
570	G100535	250.00	40.00	27.000
571	10567	250.00	60.00	40.500
572	10354	250.00	100.00	67.500
573	10346	254.00	12.70	8.709
574	10385	254.00	25.40	17.419
575	10447	255.00	6.25	4.303
576	10564	255.00	33.00	22.720
577	10429	258.00	7.40	5.154
578	10439	258.00	9.75	6.791
579	10460	258.00	10.00	6.966
580	10242	258.00	18.00	12.539
581	10532	260.00	6.00	4.212
582	10428	262.00	8.00	5.659
583	10565	265.00	16.00	11.448
584	10340	270.00	10.00	7.290
585	G102481	270.00	10.70	7.800
586	10586	280.00	30.00	22.680
587	10594	280.00	35.00	26.460
588	10595	280.00	42.00	31.752
589	10357	285.00	16.00	12.312
590	10566	285.00	23.00	17.698
591	10553	290.00	4.00	3.131
592	10329	290.00	20.00	15.660
593	10576	300.00	20.00	16.200
594	10384	300.00	25.00	20.250
595	10388	300.00	28.00	22.680

GENERAL SHAPE


FLAT BARS

SL. No.	Section No.	A	B	Weight kg/m
596	10605	304.80	6.35	5.225
597	10606	304.80	9.52	7.838
598	10588	304.80	19.05	15.677
599	10589	304.80	25.40	20.903
600	10322	304.80	26.50	21.808
601	10450	305.00	14.00	11.529
602	10509	305.00	16.00	13.176
603	10513	305.00	18.00	14.823
604	10342	312.00	8.00	6.739
605	10364	316.50	23.50	20.082
606	10314	320.00	20.00	17.280
607	G102008	325.00	6.00	5.265
608	10631	340.00	19.50	17.901
609	10370	340.00	22.00	20.196
610	10591	342.00	38.00	35.089
611	10378	350.00	22.50	21.262
612	10377	351.00	30.50	28.904
613	10512	425.00	8.20	9.409
614	10479	425.00	25.00	28.687

GENERAL SHAPE



FLAT BAR WITH RADIUS



SL. No.	Section No.	A	B	R	Weight kg/m
1	G100249	6.80	2.00	0.60	0.036
2	G100250	8.50	2.00	0.60	0.045
3	G103091	8.80	7.80	1.00	0.183
4	G102941	10.30	9.20	1.00	0.254
5	G102945	13.00	11.50	1.00	0.401
6	G102944	13.50	7.30	2.00	0.257
7	G103546	15.00	12.00	3.00	0.465
8	G102458	15.88	7.92	1.00	0.337
9	G103547	17.00	15.00	3.00	0.668
10	12359	17.47	8.25	1.60	0.383
11	G103548	19.00	17.00	3.00	0.851
12	G102943	20.00	16.00	1.50	0.859
13	G103549	21.00	19.00	3.00	1.056
14	G102363	22.50	12.00	4.00	0.692
15	S6118	25.40	8.25	1.60	0.560
16	12280	28.00	9.00	1.50	0.675
17	12350	28.00	10.00	2.50	0.742
18	12368	28.70	25.40	2.50	1.954
19	G103203	29.00	15.00	2.00	1.165
20	12348	30.00	10.00	3.00	0.789
21	12180	30.00	16.00	1.00	1.294
22	12351	35.00	10.00	4.00	0.908
23	12258	40.00	10.00	0.80	1.079
24	12134	40.00	10.00	3.00	1.059
25	12279	40.00	11.00	1.50	1.183
26	12147	40.00	26.00	3.00	2.787
27	G100847	44.45	6.35	0.50	0.762
28	12372	45.00	28.00	1.00	3.400
29	G101317	48.00	38.00	3.00	4.904
30	12217	50.00	8.00	3.00	1.059
31	12135	50.00	10.00	3.00	1.329
32	12096	50.00	12.00	3.00	1.599
33	12311	50.00	40.00	1.00	5.398
34	S6250	54.50	30.00	2.25	4.403
35	12278	55.00	15.00	2.00	2.218
36	G101457	57.00	10.00	0.50	1.538
37	12307	60.00	8.00	1.00	1.294
38	12128	60.00	10.00	1.00	1.618
39	12136	60.00	10.00	3.00	1.559
40	12290	63.00	54.00	1.00	9.183
41	12092	65.00	8.00	3.00	1.383
42	12215	65.00	8.00	3.00	1.383
43	G103157	69.85	44.45	1.00	8.381
44	12402	70.00	50.00	1.00	9.448
45	G100302	70.00	55.00	3.00	10.374

SL. No.	Section No.	A	B	R	Weight kg/m
46	12373	70.00	60.00	1.00	11.338
47	G102240	71.00	36.00	1.00	6.899
48	G103502	74.00	64.00	1.00	12.785
49	12243	75.00	10.00	3.00	2.004
50	12409	75.00	70.00	1.00	14.173
51	12374	75.00	60.00	1.00	12.148
52	12415	76.00	65.00	1.00	13.336
53	12023	80.00	10.00	3.00	2.138
54	G100267	80.00	25.00	0.76	5.399
55	12265	80.00	40.00	0.60	8.639
56	12395	80.00	50.00	1.00	10.798
57	G103540	80.70	45.45	20.00	8.976
58	G100924	81.30	3.40	0.50	0.746
59	G101139	85.00	35.00	3.00	8.012
60	G100301	85.00	40.00	1.80	9.172
61	12358	85.00	47.00	2.00	10.777
62	12376	85.00	70.00	1.00	16.063
63	G101699	86.00	66.00	3.00	15.304
64	12200	88.90	50.80	1.00	12.191
65	12201	88.90	63.50	1.00	15.240
66	12344	90.00	10.00	3.00	2.409
67	12390	90.00	40.00	1.00	9.718
68	G101318	90.00	44.00	3.00	10.671
69	12391	90.00	50.00	1.00	12.148
70	12410	90.00	60.00	1.00	14.578
71	12375	90.00	65.00	1.00	15.793
72	12131	90.00	75.00	0.50	18.225
73	12304	93.00	67.00	0.80	16.822
74	12328	95.00	45.00	10.00	11.311
75	12408	95.00	70.00	1.00	17.953
76	12377	95.00	75.00	1.00	19.235
77	12305	95.00	88.00	0.80	22.571
78	12137	100.00	10.00	3.00	2.679
79	12114	100.00	12.00	3.00	3.219
80	12388	100.00	40.00	1.00	10.798
81	G101316	100.00	48.00	3.00	12.939
82	12069	101.60	9.52	1.50	2.606
83	12199	101.60	15.88	1.00	4.354
84	12206	101.60	44.45	1.00	12.191
85	G100402	101.00	96.00	1.00	26.177
86	12323	110.00	3.00	1.00	0.889
87	G102751	110.00	8.50	0.50	2.524
88	G100010	110.00	80.00	1.00	23.758
89	12250	110.50	12.00	1.00	3.578
90	12212	110.50	77.00	1.00	22.971
91	G102037	114.30	6.35	0.50	1.959
92	G103158	114.30	101.60	2.00	31.346
93	12407	115.00	75.00	1.00	23.285
94	12165	115.00	79.00	1.00	24.527
95	12172	116.00	88.00	1.00	27.559

GENERAL SHAPE



FLAT BAR WITH RADIUS

SL. No.	Section No.	A	B	R	Weight kg/m
96	12141	120.00	10.00	3.00	3.219
97	12113	120.00	12.00	3.00	3.867
98	12392	120.00	15.00	1.00	4.858
99	12115	120.00	16.00	3.00	5.163
100	12399	120.00	20.00	1.00	6.478
101	12394	120.00	30.00	1.00	9.718
102	12397	120.00	40.00	1.00	12.958
103	12105	120.00	45.00	1.00	14.578
104	12387	120.00	50.00	1.00	16.198
105	12389	120.00	60.00	1.00	19.438
106	12412	120.00	90.00	2.00	29.151
107	12080	120.00	100.00	2.00	32.391
108	G102598	124.00	54.00	1.00	18.077
109	G102828	124.50	55.50	1.00	18.654
110	12312	125.00	50.00	3.00	16.854
111	G102717	125.00	66.00	1.00	22.273
112	12289	125.00	95.00	1.00	32.060
113	12317	127.00	38.10	1.00	13.062
114	12203	127.00	101.60	1.20	34.835
115	G103566	127.00	114.30	3.00	39.173
116	12124	130.00	17.00	1.00	5.965
117	12091	130.00	100.00	1.00	35.098
118	12298	130.00	105.00	1.00	36.853
119	G103795	130.00	115.00	1.00	40.363
120	G103917	130.00	120.00	2.50	42.106
121	G104068	135.00	10.00	1.00	3.643
122	12138	140.00	10.00	3.00	3.759
123	12263	140.00	40.00	1.00	15.118
124	12262	140.00	90.00	1.00	34.018
125	12145	140.00	110.00	1.00	41.578
126	12386	142.00	50.00	1.00	19.168
127	G101460	143.00	10.00	0.50	3.860
128	12221	144.00	74.00	2.00	28.762
129	12133	145.00	4.80	1.00	1.877
130	12252	145.00	27.00	1.00	10.568
131	12251	145.00	68.00	1.00	26.620
132	12406	145.00	120.00	5.00	46.922
133	12224	150.00	22.00	1.00	8.908
134	12230	150.00	100.00	1.00	40.498
135	12219	151.00	7.80	2.00	3.171
136	12104	151.00	111.00	2.00	45.245
137	12253	152.00	16.00	1.00	6.564
138	12127	152.00	80.00	1.00	32.830
139	12303	152.40	25.40	1.00	10.449
140	12318	152.40	38.10	1.00	15.675
141	12205	152.40	76.20	1.00	31.352
142	G103972	152.40	101.60	5.00	41.748
143	G103796	155.00	35.00	1.00	14.645
144	G103647	155.00	46.00	1.00	19.249
145	12130	155.00	58.00	1.00	24.271

SL. No.	Section No.	A	B	R	Weight kg/m
146	12098	160.00	10.00	3.00	4.299
147	G100653	160.00	80.00	1.80	34.552
148	12255	160.00	115.00	1.00	49.678
149	12179	161.00	40.00	1.00	17.386
150	12171	163.00	39.00	1.00	17.162
151	12260	165.00	6.35	3.00	2.808
152	S4339	165.00	44.00	1.50	19.597
153	12264	165.00	55.00	1.00	24.500
154	12055	165.00	85.00	2.00	37.858
155	12160	165.00	120.00	1.00	53.458
156	12140	168.00	133.00	1.00	60.326
157	12132	169.00	4.80	1.00	2.188
158	S5203	169.00	7.80	2.00	3.550
159	G104244	169.00	55.00	1.00	25.094
160	12169	170.00	77.00	1.00	35.341
161	12259	170.00	80.00	2.00	36.711
162	G101693	173.00	153.00	5.00	71.408
163	G101130	177.80	90.00	1.00	43.203
164	G101131	177.80	101.60	1.00	48.772
165	12109	180.00	10.00	3.00	4.839
166	12242	180.00	30.00	2.00	14.571
167	12241	180.00	63.00	1.00	30.616
168	G104236	185.00	30.00	1.00	14.983
169	G104370	185.00	25.00	1.00	12.485
170	G101616	187.00	15.00	2.00	7.564
171	12283	200.00	6.00	0.70	3.239
172	12139	200.00	10.00	3.00	5.379
173	12268	200.00	20.00	0.50	10.799
174	12065	200.00	20.00	1.00	10.800
175	12285	200.00	22.00	1.00	11.878
176	12118	200.00	32.00	1.00	17.278
177	12361	200.00	44.00	1.50	23.755
178	12226	200.00	55.00	2.00	29.691
179	G100658	200.00	60.00	1.80	32.392
180	G100654	200.00	80.00	1.80	43.192
181	G100655	200.00	100.00	2.00	53.991
182	G100445	202.00	31.75	2.00	17.307
183	12190	203.00	52.00	1.00	28.499
184	12191	203.00	62.00	1.00	33.980
185	12349	203.20	44.45	1.00	24.385
186	12284	203.20	101.60	1.00	55.740
187	12207	204.00	26.00	2.00	14.312
188	G100727	204.00	54.00	2.00	29.734
189	G102491	204.00	65.00	1.80	35.794
190	12070	205.00	15.00	1.00	8.300
191	12365	205.00	72.00	1.00	39.850
192	12204	208.00	12.70	1.00	7.130
193	G100656	210.00	60.00	1.80	34.012
194	G103623	215.00	66.00	2.00	38.304
195	12177	215.00	76.20	1.00	44.232

GENERAL SHAPE



FLAT BAR WITH RADIUS


SL. No.	Section No.	A	B	R	Weight kg/m
196	G103374	218.60	109.00	2.00	64.325
197	12173	220.00	12.30	2.00	7.297
198	G103660	220.00	30.00	1.00	17.818
199	12078	222.00	32.00	1.50	19.176
200	G100146	222.00	43.00	0.70	25.773
201	12103	223.00	18.00	1.00	10.835
202	12213	225.00	50.00	2.00	30.366
203	G103375	229.00	163.80	2.50	101.263
204	12308	230.00	65.00	1.00	40.363
205	G101617	230.00	127.00	3.00	78.846
206	G103659	232.00	38.00	1.00	23.801
207	12074	233.00	17.00	1.00	10.692
208	G101447	237.00	78.00	2.00	49.903
209	G101478	240.00	20.00	1.00	12.958
210	G101613	240.00	50.00	2.00	32.391
211	12084	250.00	18.00	1.50	12.145
212	12054	250.00	30.00	2.50	20.236
213	G103281	250.00	125.00	5.00	84.317
214	G100333	254.00	19.05	1.00	13.062
215	12167	254.00	21.50	1.00	14.742
216	12266	254.00	50.80	0.60	34.838
217	12097	255.00	17.50	1.50	12.044
218	12063	255.00	23.00	1.00	15.833
219	12090	256.00	4.82	2.00	3.322
220	12088	256.00	9.52	2.00	6.571
221	G100934	258.00	63.50	3.50	44.206
222	12188	260.00	22.00	2.00	15.435
223	12081	260.00	23.00	2.00	16.137
224	G100728	262.00	20.00	1.00	14.146
225	12110	265.00	18.00	2.00	12.879
226	12235	267.00	22.00	2.00	15.851
227	12293	268.00	18.00	3.00	13.004
228	G101807	270.00	15.00	1.00	10.933
229	12196	270.00	22.00	4.00	16.001
230	G103661	275.00	18.00	1.00	13.363
231	12064	276.00	23.00	2.00	17.130
232	G100933	279.40	63.50	3.50	47.875
233	12082	284.00	18.00	2.00	13.793
234	12085	285.00	23.00	2.00	17.699
235	12320	290.00	15.00	1.00	11.743
236	12195	290.00	29.00	4.00	22.670
237	12236	292.00	23.00	4.00	18.096
238	G101776	300.00	22.50	1.00	18.223
239	12222	300.00	36.00	1.00	29.158
240	G101479	300.00	15.00	1.00	12.148
241	12056	305.00	6.00	1.00	4.939
242	12057	305.00	8.00	1.00	6.586
243	12197	305.00	20.00	1.00	16.468
244	G102782	315.00	50.00	2.00	42.516
245	G102969	320.00	16.50	1.00	14.254

SL. No.	Section No.	A	B	R	Weight kg/m
246	G103666	350.00	19.00	1.00	17.953
247	G100341	366.00	36.00	3.00	35.554
248	G101615	370.00	45.00	2.00	44.946
249	12267	380.00	10.00	1.00	10.258
250	G101614	380.00	36.00	2.00	36.927
251	G101072	391.00	19.00	1.00	20.056
252	12329	400.00	45.00	1.00	48.598
253	G101885	412.00	32.00	3.00	35.576
254	G101477	420.00	34.00	3.00	38.535
255	12244	426.00	30.00	6.00	34.423
256	G103651	430.00	19.00	1.00	22.057
257	G102855	430.00	23.00	1.00	26.701

GENERAL SHAPE


FLAT BAR WITH CHAMFER

FLAT BAR WITH CHAMFER



Sl. No.	Section No.	A	B	C	Weight kg/m
1	G101576	33.80	19.00	0.80	1.730
2	G100999	76.20	12.70	1.00	2.607
3	12369	78.00	47.00	2.00	9.877
4	12301	101.60	78.00	2.00	21.375
5	12300	114.30	50.80	2.00	15.656
6	G100243	120.00	76.00	1.00	24.619
7	G102117	120.00	76.00	3.00	24.575
8	12398	120.00	86.00	3.00	27.815
9	G103357	125.00	20.00	6.00	6.556
10	G100093	125.00	110.00	2.00	37.103
11	12310	140.00	115.00	1.00	43.465
12	12315	153.00	55.00	1.50	22.708
13	G100635	165.00	140.00	3.00	62.321
14	12339	172.00	166.00	3.00	77.042
15	12363	175.00	155.00	3.00	73.189
16	12380	185.00	42.00	2.00	20.957
17	G100092	185.00	155.00	2.00	77.400
18	12393	186.00	32.00	2.00	16.049
19	12379	192.00	51.00	2.00	26.417
20	12364	200.00	90.00	2.00	48.578
21	12370	203.20	50.80	2.00	27.849
22	10491	235.00	152.00	4.00	96.358
23	12345	249.00	36.00	2.00	24.181
24	12352	255.00	90.00	3.00	61.916
25	12338	264.00	41.00	2.50	29.191
26	12334	267.00	27.00	2.00	19.443
27	12336	285.00	52.00	3.00	39.965
28	12371	290.00	30.00	2.00	23.468
29	G100688	332.00	29.00	1.50	25.983
30	12413	334.20	16.00	2.00	14.416
31	12362	388.00	18.00	1.00	18.851

FLAT BAR WITH FULL RADIUS




SL. No.	Section No.	A	B	Weight kg/m
1	12335	20.00	3.00	0.157
2	12400	20.00	6.00	0.303
3	G102496	21.40	6.00	0.326
4	12330	25.00	6.00	0.384
5	12030	25.20	6.30	0.405
6	12316	25.40	4.76	0.313
7	12209	30.00	13.00	0.955
8	G100846	31.75	6.35	0.521
9	12261	32.00	9.00	0.731
10	28328	37.00	16.00	1.450
11	G102698	38.40	17.40	1.629
12	12302	40.00	6.00	0.627
13	12039	40.00	10.00	1.022
14	12231	40.00	15.00	1.490
15	12117	50.00	6.00	0.789
16	12001	50.00	10.00	1.292
17	12111	50.00	12.00	1.537
18	G100167	50.30	25.00	3.033
19	28314	51.00	25.60	3.145
20	29032	51.00	25.60	3.145
21	12297	55.00	25.60	3.422
22	12229	60.00	5.00	0.796
23	12245	60.00	6.00	0.951
24	12198	61.00	7.50	1.203
25	12367	63.50	6.35	1.065
26	G101842	63.50	12.70	2.084
27	28158	65.20	25.20	4.068
28	12322	70.00	5.00	0.931
29	G104227	70.00	6.00	1.113
30	G101487	70.00	30.00	5.149
31	28961	72.00	27.00	4.826
32	12341	73.50	2.50	0.493
33	12116	75.00	6.00	1.194
34	12150	76.20	9.52	1.906
35	12331	76.20	12.70	2.519
36	G102857	77.00	27.00	5.191
37	12271	80.00	8.00	1.691
38	G103591	80.00	10.00	2.102
39	G103592	80.00	15.00	3.110
40	G103370	81.90	12.00	2.570
41	12340	93.50	2.50	0.628
42	12100	100.00	6.00	1.599
43	12246	100.00	6.00	1.599
44	G102594	100.00	10.00	2.642
45	12144	100.00	12.00	3.157

SL. No.	Section No.	A	B	Weight kg/m
46	G103043	101.60	4.75	1.290
47	12050	101.60	6.35	1.720
48	12342	102.00	2.50	0.685
49	12343	112.00	2.50	0.752
50	G102459	114.30	6.35	1.936
51	12274	120.00	12.00	3.805
52	G102040	125.00	6.00	2.004
53	G102595	125.00	10.00	3.317
54	12227	140.00	6.00	2.247
55	G103355	140.00	15.00	5.540
56	12102	150.00	6.00	2.409
57	12193	150.00	10.00	3.992
58	12042	152.40	6.35	2.590
59	12275	160.00	10.00	4.262
60	12239	175.00	6.00	2.814
61	12228	185.00	6.00	2.976
62	12353	200.00	6.00	3.219
63	G102041	200.00	6.00	3.219
64	G103332	200.00	6.00	3.219
65	12319	200.00	10.00	5.342
66	12068	200.00	12.00	6.397
67	G102039	220.00	6.00	3.543
68	12208	240.00	6.00	3.867
69	12216	240.00	6.00	3.867
70	G103283	240.00	6.00	3.867

GENERAL SHAPE

ROUND RODS



SL. No.	Section No.	A	Weight kg/m
1	11041	4.00	0.034
2	11042	5.00	0.053
3	G103581	5.20	0.057
4	11047	6.00	0.076
5	11001	6.35	0.086
6	11044	6.40	0.087
7	11139	7.00	0.104
8	11059	7.20	0.110
9	S6463	7.35	0.115
10	11081	7.65	0.124
11	11002	7.94	0.134
12	11029	8.00	0.136
13	S6251	8.20	0.143
14	11003	8.50	0.153
15	11184	8.76	0.163
16	G103082	8.80	0.164
17	11068	8.85	0.166
18	11185	8.97	0.171
19	11004	9.00	0.172
20	11186	9.08	0.175
21	11067	9.18	0.179
22	11187	9.21	0.180
23	11046	9.30	0.183
24	11188	9.40	0.187
25	11005	9.52	0.192
26	11189	9.53	0.193
27	11069	9.66	0.198
28	11190	9.67	0.198
29	11106	9.80	0.203
30	11191	9.92	0.209
31	11006	10.00	0.212
32	11246	10.40	0.229
33	11192	10.63	0.240
34	11070	10.80	0.247
35	11007	11.00	0.257
36	11193	11.13	0.263
37	11128	11.20	0.266
38	11194	11.35	0.273
39	11071	11.53	0.282
40	11195	11.60	0.285
41	11082	11.70	0.290
42	11008	12.00	0.305
43	11247	12.12	0.312
44	11209	12.30	0.321
45	11009	12.70	0.342

SL. No.	Section No.	A	Weight kg/m
46	11010	13.00	0.358
47	11011	13.50	0.386
48	11116	14.00	0.416
49	11022	14.30	0.434
50	11012	14.50	0.446
51	G103913	14.50	0.446
52	11085	15.00	0.477
53	11066	15.30	0.496
54	11083	15.60	0.516
55	11129	15.70	0.523
56	11013	15.88	0.535
57	11025	16.00	0.543
58	11133	16.25	0.560
59	11079	16.70	0.591
60	11135	17.00	0.613
61	G103914	17.00	0.613
62	11026	17.50	0.649
63	11206	17.70	0.664
64	11023	18.00	0.687
65	11096	18.30	0.710
66	11217	18.60	0.734
67	11113	19.00	0.765
68	11014	19.05	0.770
69	11168	19.70	0.823
70	11033	20.00	0.848
71	G103915	20.00	0.848
72	11219	20.63	0.903
73	11015	21.00	0.935
74	11130	21.50	0.980
75	11030	22.00	1.027
76	11021	22.20	1.045
77	11117	23.00	1.122
78	11112	24.00	1.221
79	11107	24.50	1.272
80	G103133	24.50	1.273
81	11034	25.00	1.325
82	11016	25.40	1.368
83	11137	25.50	1.379
84	11251	25.65	1.395
85	11024	25.80	1.412
86	11231	26.10	1.445
87	11040	26.30	1.467
88	11036	27.00	1.546
89	11165	27.80	1.639
90	11031	28.00	1.662
91	11091	28.57	1.731
92	11035	30.00	1.908
93	11150	30.40	1.960
94	11132	30.90	2.025
95	11218	31.75	2.138

GENERAL SHAPE

ROUND RODS

SL. No.	Section No.	A	Weight kg/m
96	11027	31.80	2.144
97	11028	32.00	2.171
98	11198	32.00	2.171
99	11199	32.00	2.171
100	11162	32.40	2.226
101	11077	33.00	2.309
102	11226	33.00	2.309
103	11173	33.50	2.380
104	11045	34.92	2.585
105	11222	35.00	2.598
106	11103	35.60	2.688
107	11084	36.00	2.748
108	11174	36.70	2.856
109	11147	37.50	2.982
110	11032	38.00	3.062
111	11017	38.10	3.078
112	11167	38.50	3.143
113	11065	39.00	3.225
114	11202	39.70	3.342
115	11018	40.00	3.393
116	11149	40.90	3.547
117	G101841	41.275	3.613
118	11048	42.00	3.741
119	11243	42.00	3.741
120	11175	42.86	3.895
121	11020	43.00	3.920
122	11234	44.00	4.105
123	11037	44.45	4.190
124	11056	44.70	4.237
125	11086	45.00	4.294
126	11172	45.50	4.390
127	G100091	46.00	4.487
128	11215	46.80	4.645
129	11136	48.10	4.906
130	11180	48.50	4.988
131	11210	48.50	4.988
132	11019	50.00	5.301
133	11038	50.80	5.472
134	G103885	51.40	5.602
135	11049	51.75	5.679
136	G100042	52.00	5.734
137	G102635	52.50	5.845
138	11057	53.50	6.070
139	11169	53.98	6.179
140	11205	54.00	6.184
141	G102819	54.40	6.276
142	11073	55.00	6.415
143	G100381	55.00	6.415
144	11060	56.00	6.650
145	11090	57.15	6.926

SL. No.	Section No.	A	Weight kg/m
146	11076	60.00	7.634
147	11164	60.32	7.716
148	G101950	61.00	7.891
149	11216	61.20	7.942
150	11235	61.91	8.128
151	11114	62.60	8.310
152	11050	63.50	8.550
153	11088	65.00	8.959
154	11126	65.40	9.070
155	11151	66.68	9.429
156	11111	68.20	9.863
157	11102	68.30	9.892
158	11118	69.20	10.155
159	11119	69.40	10.213
160	11087	70.00	10.390
161	11063	71.00	10.690
162	11105	72.00	10.993
163	11166	73.00	11.301
164	11204	73.66	11.506
165	11094	75.00	11.928
166	11051	76.20	12.312
167	11229	77.00	12.573
168	11254	78.00	12.902
169	11120	79.40	13.369
170	11061	80.00	13.572
171	11221	80.00	13.572
172	11232	80.10	13.606
173	11212	81.00	13.913
174	11115	82.55	14.450
175	11092	85.00	15.321
176	11237	85.73	15.585
177	11240	86.00	15.684
178	11122	88.90	16.759
179	11062	90.00	17.176
180	11163	91.00	17.560
181	11248	93.00	18.314
182	11242	95.00	19.138
183	11123	95.25	19.239
184	11176	97.00	19.952
185	11080	100.00	21.206
186	11233	100.10	21.248
187	11244	101.60	21.890
188	11052	101.60	21.890
189	11238	104.78	23.281
190	11148	105.00	23.379
191	11093	107.95	24.711
192	G101079	109.00	25.195
193	11074	110.00	25.659
194	11183	110.60	25.940
195	G100293	111.00	26.128

GENERAL SHAPE


ROUND RODS

SL. No.	Section No.	A	Weight kg/m
196	11181	111.40	26.316
197	11141	114.30	27.704
198	11095	115.00	28.045
199	11211	117.00	29.029
200	11207	118.00	29.527
201	11039	120.00	30.536
202	11124	120.65	30.868
203	G102179	123.00	32.082
204	11055	125.00	33.134
205	11127	127.00	34.203
206	11227	128.00	34.744
207	11089	130.00	35.838
208	11220	130.17	35.932
209	11252	132.00	36.949
210	11228	133.00	37.511
211	11152	133.35	37.709
212	11099	135.00	38.647
213	G103883	136.53	39.528
214	11178	139.50	41.267
215	11075	140.00	41.563
216	11104	143.00	43.364
217	11208	145.00	44.585
218	11101	146.00	45.202
219	11196	146.00	45.202
220	G101702	146.00	45.202
221	11064	150.00	47.713
222	11179	151.50	48.672
223	11197	151.60	48.736
224	11125	152.40	49.252
225	11097	153.00	49.640
226	11143	155.00	50.947
227	G101611	155.00	50.947
228	11239	155.58	51.329
229	11182	156.00	51.606
230	11224	158.75	53.442
231	11144	160.00	54.287
232	11078	162.00	55.652
233	11109	165.00	57.732
234	11100	170.00	61.285
235	11153	171.45	62.335
236	11214	171.45	62.335
237	11241	171.45	62.335
238	11134	175.00	64.942
239	11154	177.80	67.037
240	11058	180.00	68.706
241	11155	184.15	71.911
242	G103124	185.00	72.577
243	11098	190.00	76.552
244	11140	190.50	76.956
245	G101697	192.50	78.581

SL. No.	Section No.	A	Weight kg/m
246	11213	195.00	80.635
247	11108	200.00	84.823
248	S6526	201.00	85.673
249	11131	203.00	87.387
250	G101854	203.00	87.387
251	11159	203.20	87.559
252	G101754	204.00	88.250
253	11230	205.00	89.117
254	11142	208.00	91.745
255	11245	209.55	93.117
256	11236	209.55	93.117
257	G102147	210.00	93.517
258	11138	211.00	94.410
259	11156	215.90	98.846
260	G100869	216.50	99.396
261	11171	220.00	102.636
262	11160	228.60	110.817
263	11145	230.00	112.178
264	G100142	235.00	117.109
265	11253	240.00	122.145
266	11161	241.30	123.472
267	11203	245.00	127.288
268	11201	250.00	132.536
269	11146	254.00	136.811
270	11225	260.00	143.351
271	11157	260.35	143.737
272	11177	264.00	147.796
273	11200	268.00	152.308
274	G100659	270.00	154.590
275	11158	279.40	165.541
276	G102284	280.00	166.253
277	11170	281.94	168.565
278	11223	285.00	172.244

GENERAL SHAPE

SQUARE BARS




SL. No.	Section No.	A	Weight kg/m
1	11723	5.00	0.068
2	11701	6.35	0.109
3	11702	7.93	0.170
4	11709	8.00	0.173
5	11703	9.53	0.245
6	11704	10.00	0.270
7	11748	11.50	0.356
8	11722	12.00	0.389
9	11705	12.70	0.435
10	11711	15.00	0.608
11	11706	15.88	0.681
12	11735	17.00	0.780
13	11707	19.05	0.980
14	11708	20.00	1.080
15	11710	25.00	1.688
16	11719	25.50	1.756
17	11726	30.00	2.430
18	11716	31.75	2.722
19	11721	32.00	2.765
20	11732	35.00	3.308
21	11713	38.10	3.920
22	11717	40.00	4.320
23	11744	42.00	4.762
24	11740	44.45	5.334
25	11725	45.00	5.467
26	11714	50.00	6.750
27	11733	50.80	6.967
28	11749	53.00	7.584
29	11743	54.00	7.873
30	11754	55.00	8.167
31	G101040	57.15	8.818
32	11727	60.00	9.720
33	11724	63.00	10.716
34	11739	63.50	10.887
35	11746	65.00	11.407
36	11741	67.00	12.120
37	11712	69.85	13.173
38	11750	70.00	13.230
39	G100215	70.00	13.230
40	11736	72.00	13.996
41	11753	75.00	15.187
42	11718	76.25	15.698
43	11745	79.00	16.850
44	G100258	80.00	17.280
45	11720	80.00	17.280

SL. No.	Section No.	A	Weight kg/m
46	11734	83.00	18.600
47	11742	88.90	21.338
48	11747	100.00	27.000
49	11738	101.00	27.542
50	11715	101.60	27.870
51	11728	110.00	32.670
52	11729	120.00	38.880
53	11737	124.00	41.515
54	11730	130.00	45.630
55	11751	135.00	49.207
56	11752	141.00	53.678

GENERAL SHAPE

SQUARE BARS


SQUARE BARS WITH RADIUS



SL. No.	Section No.	A	R	Weight kg/m
1	G103092	8.00	1.00	0.170
2	G102939	10.00	1.00	0.268
3	12282	10.00	1.20	0.267
4	G102940	10.00	2.00	0.261
5	G102942	17.00	1.00	0.778
6	12383	19.90	4.00	1.032
7	12337	22.00	1.00	1.304
8	G104212	80.00	3.00	17.259
9	12233	85.00	1.00	19.505
10	12382	90.00	1.00	21.868
11	12142	90.00	3.00	21.849
12	12309	91.00	0.80	22.357
13	12411	95.00	2.00	24.358
14	G104211	101.00	3.50	27.514
15	G100397	101.60	1.00	27.869
16	12327	105.00	0.80	29.766
17	G100273	110.00	5.00	32.612
18	12354	112.00	1.00	33.866
19	G101604	116.00	2.50	36.317
20	12385	122.00	1.00	40.184
21	G102540	125.00	2.50	42.173
22	12161	127.00	1.00	43.546
23	12019	140.00	3.00	52.898
24	12381	150.00	2.00	60.741
25	G100572	150.00	5.00	60.692
26	12175	152.40	1.50	62.704
27	12240	155.00	1.20	64.864
28	12355	160.00	1.00	69.118
29	12162	165.10	1.00	73.594
30	12220	175.00	1.20	82.684
31	12254	178.60	1.50	86.119
32	G101339	180.00	2.00	87.471
33	12414	190.00	3.00	97.449


S5777

41.510 kg/m



GENERAL SHAPE

HEXAGONAL BARS




SL. No.	Section No.	A	Weight kg/m
1	11851	5.00	0.058
2	11892	5.90	0.081
3	11852	7.00	0.115
4	11871	8.00	0.150
5	11853	9.00	0.189
6	11854	9.52	0.212
7	11897	10.00	0.234
8	11855	11.00	0.283
9	11904	11.11	0.288
10	11872	12.00	0.337
11	11856	12.70	0.377
12	11881	13.00	0.395
13	11887	13.85	0.449
14	11857	14.00	0.458
15	11900	15.88	0.590
16	11864	16.00	0.599
17	11876	16.85	0.664
18	11858	17.00	0.675
19	11869	18.90	0.835
20	11866	19.10	0.853
21	S6175	20.00	0.935
22	11867	22.00	1.132
23	11878	22.10	1.142
24	11890	22.25	1.157
25	11896	22.30	1.163
26	11873	23.85	1.330
27	11862	24.00	1.347
28	11859	25.00	1.461
29	11893	25.40	1.508
30	11875	26.85	1.686
31	11868	27.00	1.705
32	11889	27.15	1.723
33	11865	29.00	1.966
34	11891	30.19	2.131
35	11884	30.50	2.175
36	11899	31.50	2.320
37	S6492	31.95	2.387
38	11860	32.00	2.394
39	11879	36.00	3.030
40	11886	37.50	3.288
41	11885	38.10	3.394
42	11880	41.00	3.930
43	11883	41.27	3.984
44	11905	44.45	4.620
45	11894	46.00	4.948

SL. No.	Section No.	A	Weight kg/m
46	11863	50.00	5.846
47	11901	50.80	6.034
48	11906	69.85	11.408

GENERAL SHAPE

HEXAGONAL BARS - MISC.



SL. No.	SECTION No	A	B	WEIGHT kg/m
1	29384	30.50	30.14	2.068
2	29385	37.50	37.30	3.125

29434

4.468 kg/m

