


GENERAL SHAPE

ROUND TUBES



SL. No.	Section No.	ØA	B	Weight kg/m
1	G103126	5.60	0.70	0.029
2	13422	5.60	1.20	0.045
3	13311	6.20	0.90	0.040
4	13125	6.20	1.20	0.050
5	13630	6.35	1.22	0.053
6	13176	6.35	1.50	0.062
7	13245	6.35	2.07	0.075
8	13576	7.25	1.42	0.070
9	13118	7.40	1.50	0.075
10	13286	7.75	1.00	0.057
11	13481	7.80	1.00	0.058
12	13255	8.00	1.00	0.059
13	13355	8.00	1.20	0.069
14	13036	8.00	1.27	0.072
15	13063	8.00	1.50	0.083
16	13775	8.00	1.80	0.095
17	13445	8.00	2.00	0.102
18	13692	8.10	0.50	0.032
19	13781	8.10	2.35	0.115
20	13149	8.30	1.45	0.084
21	13670	8.46	0.68	0.045
22	13602	8.60	0.80	0.053
23	13265	8.80	2.65	0.138
24	13208	9.00	0.53	0.038
25	13329	9.05	1.00	0.063
26	13326	9.20	0.78	0.056
27	13284	9.35	0.55	0.041
28	13209	9.35	0.64	0.048
29	13553	9.35	0.65	0.048
30	13163	9.50	1.35	0.093
31	13144	9.52	0.78	0.058
32	13003	9.52	0.92	0.067
33	13210	9.52	1.00	0.073
34	13303	9.52	1.13	0.080
35	13001	9.52	1.22	0.086
36	13002	9.52	1.63	0.109
37	13784	9.60	0.80	0.060
38	13536	9.70	1.40	0.099
39	13394	10.00	0.80	0.062
40	13524	10.00	0.82	0.064
41	13097	10.00	1.00	0.076
42	13093	10.00	1.50	0.108
43	13436	10.50	0.51	0.043
44	13381	10.50	1.70	0.127
45	13159	10.80	1.40	0.112

SL. No.	Section No.	ØA	B	Weight kg/m
46	13578	11.00	0.42	0.038
47	13207	11.00	0.48	0.043
48	13488	11.00	3.00	0.204
49	13396	11.10	1.00	0.086
50	13277	11.11	1.60	0.129
51	13231	12.00	0.48	0.047
52	13181	12.00	0.55	0.054
53	13145	12.00	0.72	0.068
54	13130	12.00	0.91	0.086
55	13128	12.00	1.00	0.093
56	13791	12.00	1.00	0.093
57	13745	12.00	2.20	0.183
58	13462	12.00	3.00	0.229
59	13004	12.70	0.86	0.086
60	13005	12.70	1.19	0.116
61	13779	12.70	1.40	0.134
62	13006	12.70	1.63	0.153
63	13007	12.70	2.03	0.184
64	13058	12.70	2.20	0.196
65	13608	12.70	2.55	0.220
66	13263	13.00	1.00	0.102
67	13126	13.00	1.85	0.175
68	13664	14.00	0.87	0.097
69	G101454	14.00	1.10	0.120
70	13234	14.00	1.55	0.164
71	13237	14.00	3.10	0.287
72	13067	14.50	1.22	0.137
73	13211	15.00	0.54	0.066
74	13182	15.00	0.60	0.073
75	13685	15.00	1.00	0.119
76	13008	15.00	2.00	0.221
77	13267	15.00	4.75	0.413
78	13228	15.20	0.72	0.088
79	13465	15.40	3.20	0.331
80	13621	15.50	2.35	0.262
81	13727	15.50	4.25	0.406
82	13751	15.70	3.50	0.362
83	13009	15.88	0.92	0.117
84	13212	15.88	0.96	0.121
85	13010	15.88	1.22	0.152
86	13011	15.88	1.63	0.197
87	13459	15.88	2.00	0.235
88	13012	15.88	2.38	0.272
89	13274	16.00	1.00	0.127
90	13691	16.00	1.60	0.195
91	13070	16.00	2.20	0.257
92	13124	16.00	2.75	0.309
93	13778	16.00	3.50	0.371
94	G104336	16.20	0.50	0.067
95	13334	16.90	2.45	0.300

GENERAL SHAPE

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
96	13232	17.00	0.56	0.078
97	G101455	17.00	1.10	0.148
98	13169	17.00	2.60	0.318
99	13071	17.10	2.10	0.267
100	13792	17.50	3.30	0.397
101	13157	18.00	0.60	0.089
102	G100668	18.00	1.00	0.144
103	13492	18.00	1.30	0.184
104	13132	18.00	1.63	0.226
105	13185	18.00	2.00	0.271
106	13579	18.50	0.47	0.072
107	13213	18.50	0.51	0.078
108	13612	18.50	0.54	0.082
109	13183	18.50	0.60	0.091
110	13146	18.50	0.72	0.108
111	13643	18.50	1.00	0.148
112	13673	18.60	1.15	0.170
113	13165	19.00	1.15	0.174
114	13335	19.00	2.65	0.367
115	13257	19.05	0.82	0.127
116	13013	19.05	0.92	0.141
117	13214	19.05	0.95	0.145
118	13014	19.05	1.12	0.171
119	13368	19.05	1.20	0.182
120	13304	19.05	1.30	0.195
121	13015	19.05	1.63	0.241
122	13016	19.05	1.70	0.249
123	13460	19.05	2.00	0.289
124	13017	19.05	2.50	0.351
125	13461	19.05	3.18	0.428
126	13072	19.60	2.30	0.337
127	13150	19.60	2.40	0.350
128	13035	19.60	3.05	0.428
129	13347	19.80	6.20	0.715
130	13359	20.00	1.00	0.161
131	G101456	20.00	1.10	0.176
132	13018	20.00	1.25	0.199
133	13409	20.00	1.50	0.235
134	13113	20.00	1.63	0.254
135	13251	20.00	3.15	0.450
136	13857	20.50	2.30	0.355
137	G103068	21.00	4.25	0.604
138	13272	21.00	5.10	0.688
139	13336	21.10	3.00	0.460
140	S4491	21.18	1.60	0.266
141	13107	21.20	2.55	0.403
142	G101224	21.30	2.77	0.435
143	13615	21.40	4.80	0.676
144	13073	21.50	2.50	0.403
145	13168	21.70	3.10	0.489

SL. No.	Section No.	ØA	B	Weight kg/m
146	13262	22.00	0.55	0.100
147	13770	22.00	0.55	0.100
148	13752	22.00	0.75	0.135
149	13253	22.00	0.85	0.152
150	13626	22.00	1.00	0.178
151	13603	22.00	1.20	0.212
152	13562	22.00	1.25	0.220
153	13561	22.00	1.60	0.277
154	13238	22.00	4.10	0.623
155	13589	22.00	5.00	0.721
156	G103083	22.00	5.25	0.746
157	13019	22.22	0.88	0.159
158	13376	22.22	1.20	0.214
159	13061	22.22	1.60	0.280
160	13278	22.23	1.00	0.180
161	S4492	22.30	1.60	0.281
162	13796	22.50	6.00	0.840
163	13384	23.00	1.40	0.257
164	G101459	23.00	5.445	0.811
165	13665	23.40	1.00	0.190
166	13108	23.70	2.85	0.504
167	13337	23.90	3.65	0.626
168	13147	24.00	0.84	0.165
169	13308	24.00	1.25	0.241
170	13133	24.00	1.63	0.309
171	13080	24.00	2.75	0.496
172	13523	25.00	1.00	0.204
173	13117	25.00	1.22	0.246
174	13034	25.00	1.50	0.299
175	13363	25.00	1.50	0.299
176	13470	25.00	1.50	0.299
177	13020	25.00	2.00	0.390
178	13566	25.00	2.00	0.390
179	13021	25.00	2.50	0.477
180	13862	25.00	3.00	0.560
181	13122	25.00	4.00	0.713
182	G101464	25.00	4.20	0.741
183	13721	25.00	5.00	0.848
184	13378	25.00	6.45	1.015
185	13776	25.20	0.90	0.186
186	13369	25.40	0.83	0.173
187	13215	25.40	0.87	0.181
188	13222	25.40	1.00	0.207
189	13305	25.40	1.06	0.219
190	13022	25.40	1.22	0.250
191	13306	25.40	1.22	0.250
192	13577	25.40	1.30	0.266
193	13023	25.40	1.60	0.323
194	13129	25.40	1.90	0.379
195	13090	25.40	3.20	0.603

GENERAL SHAPE

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
196	13293	25.40	5.95	0.981
197	G102607	25.50	0.65	0.137
198	13444	25.91	4.63	0.836
199	13787	26.00	1.60	0.331
200	13441	26.00	3.00	0.585
201	13479	26.00	3.50	0.668
202	G101462	26.00	5.425	0.947
203	13683	26.00	6.50	1.075
204	13837	26.51	3.43	0.671
205	13641	26.67	3.17	0.633
206	G101225	26.70	2.87	0.580
207	13186	27.00	2.50	0.520
208	13127	27.00	3.00	0.611
209	13109	27.00	3.20	0.646
210	13318	27.00	5.50	1.003
211	13338	27.20	3.95	0.779
212	13387	27.50	1.50	0.331
213	13360	28.00	1.00	0.229
214	13401	28.00	1.60	0.358
215	13110	28.00	3.00	0.636
216	13655	28.00	3.00	0.636
217	13038	28.00	4.00	0.814
218	13705	28.00	5.35	1.028
219	13315	28.00	9.50	1.491
220	13809	28.60	1.60	0.366
221	13114	28.60	1.63	0.373
222	13081	28.60	3.30	0.708
223	13429	28.70	2.28	0.511
224	13417	29.00	1.00	0.238
225	13235	29.00	2.50	0.562
226	G104109	29.00	9.50	1.571
227	13386	30.00	0.70	0.174
228	13260	30.00	0.77	0.191
229	13382	30.00	1.00	0.246
230	13047	30.00	1.50	0.363
231	13264	30.00	2.00	0.475
232	13829	30.00	2.00	0.475
233	13379	30.00	2.30	0.540
234	13190	30.00	2.50	0.583
235	13866	30.00	3.00	0.687
236	13639	30.00	4.60	0.991
237	13101	30.00	5.25	1.102
238	13171	30.00	6.65	1.318
239	13068	30.00	7.25	1.399
240	13024	30.10	1.22	0.299
241	13339	30.20	4.20	0.926
242	13628	31.00	2.25	0.549
243	13654	31.00	3.00	0.713
244	13111	31.00	3.50	0.816
245	13798	31.75	0.80	0.210

SL. No.	Section No.	ØA	B	Weight kg/m
246	13254	31.75	0.95	0.248
247	13229	31.75	1.05	0.273
248	13571	31.75	1.00	0.261
249	13530	31.75	1.10	0.286
250	13025	31.75	1.22	0.316
251	13026	31.75	1.63	0.416
252	13027	31.75	2.00	0.505
253	13094	31.75	3.18	0.771
254	13758	31.80	3.15	0.766
255	13599	31.80	3.20	0.776
256	13458	31.80	4.50	1.042
257	13707	31.90	5.10	1.159
258	13328	32.00	1.20	0.314
259	G100739	32.00	1.50	0.388
260	13248	32.00	1.60	0.412
261	13100	32.00	2.00	0.509
262	13598	32.00	3.00	0.738
263	13082	32.00	3.50	0.846
264	13066	32.00	4.00	0.950
265	G102699	32.00	4.00	0.950
266	13700	32.00	4.25	1.000
267	13375	32.00	4.50	1.050
268	13496	32.00	8.00	1.629
269	13581	32.00	10.00	1.866
270	13865	32.25	4.69	1.097
271	13640	32.25	4.86	1.129
272	13771	32.50	3.55	0.872
273	13591	32.80	5.80	1.328
274	13137	33.00	3.50	0.875
275	13483	33.00	6.20	1.409
276	13044	33.00	6.25	1.418
277	G103066	33.00	7.60	1.637
278	13570	33.30	1.10	0.300
279	G101226	33.40	3.38	0.861
280	G100271	34.00	1.00	0.280
281	13600	34.00	4.50	1.126
282	13199	34.00	5.75	1.378
283	13447	34.00	8.75	1.874
284	G102443	34.20	2.20	0.597
285	13730	34.64	1.44	0.406
286	G100987	34.70	9.75	2.063
287	13342	34.80	4.90	1.242
288	13442	35.00	1.20	0.344
289	13393	35.00	3.00	0.814
290	13202	35.00	4.50	1.164
291	13712	35.00	5.00	1.272
292	13316	35.00	7.00	1.663
293	13633	35.00	8.50	1.911
294	13585	35.20	4.50	1.172
295	13706	35.40	4.90	1.268

GENERAL SHAPE

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
296	13703	35.80	4.90	1.284
297	13446	35.90	4.95	1.300
298	G100740	36.00	1.30	0.383
299	13135	36.00	2.00	0.576
300	13828	36.00	2.00	0.577
301	13103	36.00	4.00	1.085
302	13607	36.00	7.50	1.813
303	13443	36.00	8.00	1.900
304	13567	36.10	1.60	0.468
305	13250	36.50	3.00	0.852
306	S6192	37.00	4.00	1.120
307	13388	37.00	5.00	1.357
308	13083	37.50	4.25	1.198
309	13256	37.90	1.70	0.522
310	13711	38.00	1.00	0.314
311	13411	38.00	1.20	0.375
312	13091	38.00	2.00	0.611
313	13710	38.00	3.00	0.891
314	13323	38.00	5.90	1.606
315	13057	38.00	6.50	1.737
316	13385	38.00	6.75	1.789
317	13367	38.00	7.50	1.940
318	13224	38.10	1.30	0.405
319	13028	38.10	1.63	0.504
320	13029	38.10	2.00	0.612
321	13030	38.10	2.50	0.755
322	13099	38.10	7.55	1.956
323	13140	38.20	3.20	0.950
324	13762	38.80	9.52	2.365
325	13606	39.00	9.00	2.290
326	13769	39.00	4.00	1.188
327	13340	39.10	5.45	1.555
328	G103070	39.50	8.25	2.187
329	13763	39.80	10.03	2.532
330	13786	40.00	1.00	0.331
331	13480	40.00	1.20	0.395
332	G100741	40.00	1.30	0.427
333	13078	40.00	1.50	0.490
334	13048	40.00	2.00	0.645
335	13152	40.00	2.50	0.795
336	13098	40.00	3.00	0.941
337	13134	40.00	4.00	1.221
338	13370	40.00	5.00	1.484
339	G101738	40.00	5.00	1.484
340	13507	40.00	7.00	1.959
341	13389	40.00	8.00	2.171
342	13276	40.00	11.00	2.705
343	13766	40.00	14.00	3.088
344	13504	40.60	1.80	0.592
345	13174	41.00	5.00	1.527

SL. No.	Section No.	ØA	B	Weight kg/m
346	13416	41.80	4.56	1.440
347	13649	41.80	4.56	1.440
348	13827	42.00	2.00	0.679
349	13089	42.00	2.00	0.679
350	13319	42.00	7.50	2.195
351	13584	42.00	8.25	2.362
352	13412	42.00	11.50	2.975
353	13807	42.10	4.75	1.505
354	13808	42.15	1.45	0.501
355	13737	42.16	3.55	1.163
356	13419	42.16	4.85	1.535
357	S6650	42.20	2.70	0.905
358	13772	42.50	3.95	1.292
359	13661	42.55	4.90	1.565
360	13564	42.70	9.35	2.645
361	S5990	43.00	6.25	1.948
362	13116	43.00	7.00	2.137
363	13601	43.40	10.00	2.833
364	G100742	44.00	1.30	0.471
365	13468	44.00	3.00	1.043
366	13194	44.00	10.00	2.884
367	13341	44.40	6.35	2.049
368	13750	44.45	1.60	0.582
369	G100629	44.45	9.525	2.822
370	13077	45.00	2.50	0.901
371	G101818	45.00	3.00	1.069
372	13200	45.00	4.00	1.391
373	13331	45.00	5.00	1.696
374	13487	45.00	14.00	3.681
375	13565	45.20	10.30	3.049
376	13505	45.70	1.80	0.670
377	13084	46.00	5.00	1.738
378	13136	46.00	5.50	1.889
379	13310	46.00	6.00	2.035
380	G103069	46.00	8.75	2.765
381	G103067	46.00	9.75	2.998
382	13804	46.25	1.00	0.384
383	G102281	47.50	9.20	2.989
384	G103071	47.60	8.35	2.780
385	G100743	48.00	1.30	0.515
386	13826	48.00	2.00	0.780
387	G101698	48.00	3.00	1.145
388	13298	48.00	4.00	1.492
389	13138	48.00	5.00	1.823
390	13056	48.00	8.75	2.913
391	13088	48.00	9.00	2.977
392	13512	48.10	4.60	1.697
393	13667	48.10	4.75	1.747
394	13408	48.16	4.51	1.670
395	13172	48.26	3.68	1.391

GENERAL SHAPE

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
396	13420	48.26	5.08	1.861
397	13510	48.30	4.00	1.503
398	13767	48.30	3.00	1.153
399	13588	48.41	4.47	1.666
400	13597	49.90	10.75	3.570
401	13271	50.00	1.50	0.617
402	13467	50.00	2.00	0.814
403	13064	50.00	2.50	1.007
404	13757	50.00	2.50	1.007
405	13065	50.00	3.00	1.196
406	13121	50.00	5.00	1.908
407	13327	50.00	6.00	2.239
408	13371	50.00	7.50	2.704
409	13583	50.00	10.00	3.393
410	13713	50.00	12.50	3.976
411	G103474	50.00	15.00	4.453
412	13131	50.20	3.10	1.238
413	G101223	50.80	1.244	0.523
414	13031	50.80	1.63	0.680
415	13506	50.80	1.80	0.748
416	13032	50.80	2.03	0.840
417	13033	50.80	2.50	1.024
418	13414	50.80	3.00	1.216
419	G100569	50.80	3.20	1.292
420	13282	50.80	6.35	2.400
421	13112	51.00	6.00	2.290
422	13768	51.00	18.00	5.038
423	G101691	51.40	8.70	3.151
424	G101387	51.40	9.70	3.431
425	S3923	51.80	3.65	1.491
426	G100744	52.00	1.30	0.559
427	13042	52.00	7.00	2.672
428	13037	52.00	9.50	3.425
429	G100986	52.00	11.00	3.826
430	13437	54.00	1.60	0.711
431	13825	54.00	2.00	0.882
432	13672	54.00	8.75	3.358
433	13170	54.00	10.00	3.732
434	13783	54.00	12.00	4.275
435	13268	55.00	2.50	1.113
436	13777	55.40	2.00	0.906
437	13398	55.80	7.35	3.021
438	G100624	56.00	1.30	0.603
439	13632	56.00	5.50	2.356
440	G103667	56.00	10.00	3.902
441	13556	56.80	14.40	5.179
442	13674	56.86	5.09	2.235
443	13085	57.00	6.75	2.877
444	13652	57.00	7.50	3.149
445	13549	57.00	18.00	5.955

SL. No.	Section No.	ØA	B	Weight kg/m
446	13049	57.60	2.90	1.346
447	13682	57.80	16.90	5.863
448	13372	58.80	11.50	4.614
449	13062	59.50	4.50	2.099
450	G100630	60.00	1.30	0.647
451	13075	60.00	2.00	0.984
452	13824	60.00	2.00	0.984
453	13395	60.00	2.50	1.219
454	13817	60.00	3.00	1.450
455	13748	60.00	3.50	1.677
456	G101819	60.00	4.00	1.900
457	13196	60.00	10.00	4.241
458	13761	60.00	12.00	4.886
459	13438	60.00	20.00	6.786
460	13218	60.32	3.91	1.870
461	13525	60.33	5.28	2.468
462	13236	60.33	5.54	2.575
463	13653	61.00	8.00	3.596
464	G102300	61.00	11.50	4.829
465	13782	61.07	5.54	2.607
466	13239	62.00	6.37	3.005
467	G103303	62.00	15.00	5.980
468	13050	63.00	1.60	0.833
469	13526	63.00	2.00	1.035
470	13453	63.00	3.00	1.527
471	13404	63.00	4.00	2.002
472	13397	63.00	9.00	4.122
473	13059	63.50	3.18	1.627
474	13625	63.50	6.00	2.926
475	13139	63.50	7.00	3.354
476	S5991	63.50	9.55	4.370
477	G100625	64.00	1.30	0.691
478	13448	64.00	6.00	2.952
479	13671	64.00	8.25	3.901
480	G100222	64.00	13.50	5.783
481	G100962	64.00	14.50	6.088
482	13175	65.00	1.00	0.542
483	G100156	65.00	3.50	1.826
484	S5660	65.00	6.00	3.003
485	G103668	65.00	10.00	4.665
486	13823	66.00	2.00	1.086
487	13119	66.00	6.00	3.053
488	13241	66.20	3.05	1.633
489	G100626	68.00	1.30	0.736
490	G100306	68.00	2.00	1.120
491	13046	69.35	3.18	1.782
492	13166	69.50	12.50	6.043
493	13695	70.00	2.00	1.154
494	13620	70.00	4.00	2.239
495	13508	70.00	5.00	2.757

GENERAL SHAPE

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
496	13780	70.00	15.00	6.998
497	13746	70.00	16.50	7.488
498	13040	70.00	17.50	7.793
499	13614	70.00	25.00	9.543
500	13451	70.50	19.75	8.502
501	13822	72.00	2.00	1.188
502	13690	72.00	2.50	1.474
503	13299	72.00	12.00	6.107
504	G100548	72.30	1.30	0.783
505	13704	73.00	9.00	4.886
506	13153	73.03	5.16	2.970
507	13086	73.03	7.00	3.920
508	13233	75.00	3.00	1.832
509	13193	75.00	18.00	8.702
510	G100549	76.00	1.30	0.824
511	13269	76.00	2.50	1.559
512	13115	76.00	7.00	4.096
513	13187	76.10	4.50	2.732
514	13225	76.20	1.30	0.825
515	13723	76.20	1.45	0.919
516	13259	76.20	1.60	1.012
517	13658	76.20	2.00	1.259
518	13141	76.20	3.18	1.970
519	13281	76.20	6.35	3.762
520	13719	76.50	27.75	11.475
521	13051	76.20	9.50	5.375
522	13624	76.20	10.00	5.615
523	13722	76.20	12.70	6.841
524	13498	76.50	23.50	10.565
525	13821	78.00	2.00	1.289
526	G103694	78.00	21.00	10.153
527	13471	78.18	4.00	2.517
528	13773	79.50	19.75	10.010
529	13217	80.00	2.50	1.643
530	13569	80.00	3.00	1.959
531	13120	80.00	4.00	2.579
532	13349	80.00	5.00	3.180
533	G101741	80.00	5.00	3.180
534	13191	80.00	6.00	3.766
535	13391	80.00	8.00	4.886
536	13734	80.00	10.00	5.938
537	13810	80.00	10.00	5.938
538	G101739	80.00	10.00	5.938
539	13515	80.00	11.50	6.682
540	13164	80.00	15.00	8.270
541	13744	80.00	15.00	8.270
542	13742	80.00	20.00	10.179
543	13725	80.00	21.00	10.509
544	G103590	80.00	22.00	10.823
545	13324	80.00	25.00	11.663

SL. No.	Section No.	ØA	B	Weight kg/m
546	13527	80.20	2.00	1.327
547	G100550	80.80	1.30	0.877
548	13216	82.00	7.00	4.453
549	13261	82.00	21.50	11.033
550	13092	82.55	3.20	2.154
551	13820	84.00	2.00	1.391
552	13313	85.00	1.30	0.922
553	13802	85.00	12.50	7.687
554	S6514	85.00	23.50	12.259
555	13806	85.00	27.50	13.413
556	13189	86.00	8.00	5.293
557	13045	86.35	3.18	2.243
558	13714	88.00	2.00	1.459
559	13715	88.00	3.00	2.163
560	S6807	88.00	17.50	10.465
561	13154	88.90	4.05	2.915
562	13106	88.90	5.36	3.798
563	13430	88.90	5.49	3.884
564	13142	88.90	6.35	4.446
565	13295	88.90	7.62	5.253
566	13617	88.90	7.62	5.254
567	13637	88.90	7.62	5.254
568	13493	88.90	9.52	6.410
569	S6275	89.00	10.00	6.701
570	13698	90.00	1.70	1.273
571	13613	90.00	2.50	1.856
572	13162	90.00	3.50	2.568
573	13074	90.00	4.00	2.918
574	G101086	90.00	6.00	4.275
575	G100098	90.00	11.00	7.371
576	13759	90.00	15.00	9.543
577	13055	90.00	17.50	10.762
578	S6660	90.24	7.62	5.340
579	13760	90.50	8.00	5.598
580	13192	91.80	3.30	2.477
581	13720	92.00	10.00	6.955
582	13611	92.00	14.50	9.532
583	G103777	92.00	13.00	8.711
584	13552	92.00	22.00	13.063
585	S6195	92.00	36.25	17.142
586	13582	92.10	6.27	4.568
587	13854	94.00	14.00	9.500
588	13728	95.00	2.50	1.962
589	13500	95.25	12.70	8.893
590	13790	96.00	3.00	2.367
591	13204	96.00	11.50	8.243
592	13179	96.00	19.50	12.653
593	13320	96.50	5.00	3.880
594	13198	96.50	10.00	7.337
595	13592	96.50	25.00	15.162

GENERAL SHAPE

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
596	13423	98.00	4.00	3.189
597	13258	98.00	26.00	15.878
598	13716	100.00	2.50	2.068
599	13095	100.00	3.20	2.627
600	13242	100.00	4.00	3.257
601	13540	100.00	5.00	4.029
602	13520	100.00	6.00	4.784
603	13252	100.00	8.00	6.243
604	G102697	100.00	10.00	7.634
605	13729	100.00	15.00	10.815
606	13743	100.00	15.00	10.815
607	13800	100.00	16.00	11.400
608	S6808	100.00	17.00	11.969
609	13732	100.00	20.00	13.572
610	13659	101.60	2.30	1.937
611	13219	101.60	3.20	2.671
612	13864	101.60	4.45	3.663
613	13069	101.60	5.74	4.667
614	13296	101.60	8.08	6.409
615	13407	101.60	10.00	7.770
616	13495	101.60	19.05	13.339
617	G101965	101.60	28.55	17.690
618	13322	102.00	12.00	9.160
619	G103589	102.50	32.75	19.376
620	G103369	103.00	10.00	7.889
621	13521	105.00	2.50	2.174
622	13604	105.15	1.90	1.664
623	13666	106.00	3.70	3.211
624	13852	106.00	14.00	10.925
625	13853	106.00	20.00	14.590
626	13151	108.00	3.00	2.672
627	13344	109.00	2.00	1.815
628	13455	110.00	5.00	4.453
629	S6003	110.00	10.00	8.842
630	13668	110.00	15.00	12.087
631	S6642	110.00	23.50	17.242
632	13178	112.00	11.50	9.803
633	G103404	112.00	30.00	20.866
634	13815	112.50	5.50	4.992
635	S6809	113.00	17.50	14.176
636	13491	113.50	7.20	6.492
637	13605	113.54	2.04	1.925
638	13638	114.20	8.51	7.629
639	13678	114.30	6.02	5.529
640	G103734	114.30	6.02	5.529
641	13158	114.30	6.35	5.814
642	13330	114.30	8.56	7.678
643	13618	114.30	8.56	7.678
644	13076	114.50	4.50	4.199
645	13490	114.50	5.50	5.085

SL. No.	Section No.	ØA	B	Weight kg/m
646	G103658	117.50	33.25	23.762
647	13380	117.70	11.75	10.560
648	13345	118.00	2.00	1.967
649	G102145	118.00	38.75	26.049
650	G102144	118.00	40.25	26.545
651	13348	120.00	1.50	1.507
652	13548	120.00	3.00	2.977
653	S6158	120.00	3.50	3.459
654	13785	120.00	4.00	3.936
655	13593	120.00	5.00	4.877
656	G103209	120.00	6.00	5.802
657	G101740	120.00	8.00	7.600
658	13586	120.00	8.00	7.600
659	13657	120.00	10.00	9.331
660	13662	120.00	12.00	10.993
661	13616	120.00	12.00	10.993
662	13709	120.00	13.00	11.799
663	13684	120.00	15.00	13.360
664	13733	120.00	17.50	15.215
665	13735	120.00	17.50	15.215
666	13755	120.00	20.00	16.965
667	G103426	120.00	30.00	22.902
668	13366	120.65	6.35	6.156
669	13686	121.00	30.50	23.413
670	13399	122.00	23.50	19.634
671	13541	122.50	30.00	23.538
672	13533	125.00	2.00	2.087
673	G100266	125.00	3.00	3.105
674	G100154	125.00	6.00	6.056
675	13173	125.00	6.50	6.533
676	G103311	125.00	7.00	7.006
677	13830	125.00	10.00	9.755
678	13413	125.00	12.00	11.502
679	13795	125.00	15.00	13.996
680	13052	125.00	20.00	17.813
681	13697	126.50	24.25	21.032
682	13321	127.00	3.50	3.666
683	13816	127.00	6.50	6.644
684	13801	127.00	9.07	9.073
685	G103282	127.00	19.05	17.443
686	13749	128.00	39.50	29.652
687	13201	130.00	7.50	7.793
688	13390	130.00	9.00	9.237
689	13831	130.00	10.00	10.179
690	13609	130.00	12.00	12.011
691	13764	130.00	23.50	21.229
692	13595	130.00	25.00	22.266
693	13450	130.00	28.50	24.537
694	13610	130.00	33.50	27.421
695	G100409	131.50	19.50	18.525

GENERAL SHAPE

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
696	13774	131.00	20.50	19.215
697	13754	132.00	2.50	2.746
698	13454	132.00	5.00	5.386
699	13542	133.00	4.00	4.377
700	13765	133.00	15.00	15.014
701	13517	133.00	28.00	24.938
702	13374	135.00	32.50	28.257
703	13301	136.00	16.50	16.725
704	S6486	137.00	3.00	3.410
705	13283	137.00	26.00	24.480
706	G101896	138.00	10.00	10.857
707	13392	139.70	7.35	8.251
708	13405	140.00	4.00	4.614
709	S6304	140.00	8.00	8.957
710	13432	140.00	9.00	10.001
711	G101087	140.00	10.00	11.027
712	13424	140.00	10.50	11.534
713	13832	140.00	15.00	15.904
714	13587	140.00	17.50	18.184
715	13747	140.00	20.00	20.358
716	13687	140.00	24.00	23.615
717	G101853	141.30	6.553	7.490
718	13477	141.30	9.53	10.652
719	13699	141.30	9.53	10.652
720	13731	141.50	23.25	23.320
721	G100694	142.00	11.50	12.730
722	13279	143.00	6.00	6.972
723	13439	143.00	29.00	28.042
724	13457	144.00	35.25	32.516
725	13357	145.00	7.50	8.747
726	13244	145.00	32.50	31.013
727	13534	146.00	17.50	19.075
728	13426	147.00	4.50	5.439
729	13361	150.00	2.00	2.511
730	13717	150.00	2.80	3.496
731	13794	150.00	3.00	3.741
732	13509	150.00	5.00	6.150
733	13644	150.00	6.50	7.912
734	13501	150.00	13.60	15.735
735	13476	152.00	10.00	12.045
736	13400	152.00	31.00	31.817
737	13499	153.00	22.50	24.906
738	13484	153.50	13.25	15.763
739	13547	153.60	44.00	40.905
740	13406	154.00	4.00	5.089
741	13563	154.00	5.00	6.319
742	13522	155.00	2.50	3.234
743	13753	155.00	2.50	3.234
744	13373	155.00	16.00	18.865
745	G100769	155.00	23.50	26.212

SL. No.	Section No.	ØA	B	Weight kg/m
746	13594	156.00	8.00	10.043
747	13456	156.00	29.50	31.654
748	13803	158.00	3.00	3.944
749	13543	158.00	4.00	5.225
750	13246	159.00	4.50	5.897
751	13123	160.00	5.50	7.208
752	13440	160.00	5.50	7.208
753	13428	160.00	6.00	7.838
754	13402	160.00	8.00	10.314
755	G100153	160.00	10.00	12.723
756	13688	160.00	11.00	13.902
757	13511	160.00	13.00	16.210
758	13797	160.00	17.50	21.153
759	13559	160.00	25.50	29.092
760	G101610	160.00	27.50	30.907
761	13528	160.40	4.00	5.307
762	13249	162.00	11.00	14.089
763	13718	164.00	6.00	8.041
764	G100335	165.00	3.00	4.122
765	13538	165.00	4.50	6.126
766	S5668	165.00	10.00	13.148
767	G100107	165.00	42.50	44.161
768	13474	165.00	44.50	45.484
769	13724	165.10	25.40	30.098
770	G101571	165.10	19.05	23.600
771	G103403	166.00	18.00	22.597
772	13702	167.00	6.00	8.194
773	13351	168.00	4.50	6.240
774	13415	168.00	7.50	10.210
775	13648	168.00	9.00	12.138
776	13518	168.00	25.00	30.324
777	13726	168.28	7.11	9.720
778	13813	168.30	3.00	4.206
779	13660	168.30	3.50	4.893
780	13502	168.30	10.97	14.640
781	13544	169.00	4.50	6.279
782	13550	170.00	5.00	6.998
783	13650	170.00	8.00	10.993
784	13675	170.00	8.50	11.644
785	G100779	171.00	19.50	25.059
786	G101728	171.00	4.00	5.666
787	13290	172.00	10.00	13.741
788	13287	172.00	17.00	22.350
789	13537	173.00	19.00	24.819
790	13285	173.00	24.00	30.333
791	13161	173.80	6.40	9.087
792	G100808	174.00	12.00	16.490
793	13425	175.00	15.00	20.358
794	13573	175.00	22.50	29.105
795	13793	176.00	3.00	4.402

GENERAL SHAPE

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
796	13805	176.00	3.00	4.402
797	13289	177.80	12.70	17.785
798	13701	178.00	8.00	11.536
799	13516	178.00	20.50	27.387
800	13433	180.00	6.50	9.566
801	13836	180.00	10.00	14.420
802	13275	180.00	15.00	20.993
803	13352	184.00	4.50	6.851
804	13756	184.00	8.00	11.943
805	G100669	184.50	2.66	4.103
806	13356	184.50	6.00	9.084
807	13535	185.00	11.00	16.235
808	G100534	185.00	45.00	53.438
809	G100155	186.00	6.00	9.161
810	13247	190.00	5.00	7.846
811	13560	190.00	9.00	13.818
812	13627	192.00	42.50	53.894
813	S6520	194.00	32.00	43.972
814	13503	195.00	13.50	20.784
815	13350	195.00	17.50	26.348
816	13680	195.00	20.00	29.688
817	13629	195.00	23.00	33.556
818	13354	195.00	25.00	36.050
819	13452	195.00	29.50	41.413
820	S5669	196.00	10.50	16.521
821	13811	197.00	4.00	6.548
822	13677	197.00	31.00	43.650
823	13353	200.00	4.50	7.462
824	13631	200.00	5.00	8.270
825	13693	200.00	6.00	9.873
826	13403	200.00	8.00	13.029
827	13622	200.00	10.00	16.116
828	G100807	200.00	12.00	19.136
829	G100165	200.00	25.00	37.110
830	G101612	200.00	32.50	46.176
831	13497	202.00	9.53	15.559
832	13472	202.00	18.50	28.795
833	G100390	202.00	18.50	28.795
834	13623	203.20	6.35	10.603
835	G100768	203.00	31.50	45.824
836	G101897	205.00	3.20	5.478
837	G102384	205.00	3.50	5.982
838	13539	205.00	5.00	8.482
839	13280	205.00	27.00	40.765
840	G100770	205.00	45.00	61.073
841	13418	206.00	8.50	14.240
842	13464	207.00	28.50	43.152
843	13545	210.00	5.00	8.694
844	13557	210.00	5.00	8.694
845	13513	210.00	15.00	24.811

SL. No.	Section No.	ØA	B	Weight kg/m
846	G103695	210.00	25.00	39.231
847	13740	214.00	9.00	15.650
848	13814	215.80	3.00	5.415
849	G100529	219.08	8.179	14.632
850	13519	220.00	6.50	11.771
851	13590	220.00	8.00	14.386
852	13580	220.00	9.50	16.962
853	G100391	220.00	9.50	16.962
854	13642	220.00	10.00	17.813
855	13532	220.00	17.50	30.059
856	13789	223.00	8.50	15.465
857	G101378	223.00	11.50	20.631
858	13619	224.00	11.00	19.874
859	13478	225.00	5.00	9.331
860	13434	225.00	6.50	12.047
861	13572	225.00	20.00	34.777
862	13475	226.00	11.00	20.061
863	13656	226.00	42.00	65.551
864	G100679	227.00	8.50	15.754
865	13596	227.00	12.50	22.743
866	13676	229.00	24.00	41.733
867	13551	230.00	5.00	9.543
868	13636	230.00	25.00	43.472
869	13635	230.00	28.00	47.976
870	13679	230.00	13.00	23.929
871	G101609	230.00	25.00	43.472
872	13568	234.00	27.00	47.408
873	G103665	234.87	4.75	9.272
874	13410	235.00	8.00	15.404
875	13741	235.00	9.00	17.253
876	G103061	235.00	10.00	19.085
877	13838	238.00	5.00	9.882
878	13835	240.00	15.00	28.628
879	13819	240.00	40.00	67.858
880	13463	242.00	19.50	36.803
881	13574	245.00	35.00	62.345
882	13738	246.00	20.00	38.340
883	13651	246.00	30.00	54.965
884	13482	250.00	5.00	10.391
885	13799	250.00	6.00	12.418
886	13694	250.00	8.00	16.422
887	G100810	252.00	6.00	12.520
888	13669	252.00	11.00	22.487
889	13473	252.00	17.00	33.887
890	13555	252.00	17.00	33.887
891	13546	260.00	5.00	10.815
892	13708	262.00	6.00	13.029
893	13788	264.00	7.00	15.260
894	13558	270.00	5.00	11.239
895	13514	270.00	14.00	30.401

GENERAL SHAPE

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
896	G100684	270.00	20.00	42.412
897	13431	271.00	8.00	17.847
898	G103735	273.03	9.27	20.740
899	13435	275.00	7.50	17.018
900	G103338	276.00	13.00	29.001
901	13689	279.40	15.88	35.496
902	13856	280.00	32.50	68.230
903	13818	280.00	45.00	89.700
904	13634	282.00	8.50	19.719
905	13554	290.00	5.00	12.087
906	13834	290.00	15.00	34.989
907	G100680	290.00	18.00	41.529
908	G100502	296.00	8.00	19.543
909	13812	297.00	15.00	35.880
910	S5729	300.00	10.00	24.599
911	G103733	300.00	11.00	26.965
912	13739	300.00	12.70	30.949
913	G103732	300.00	13.00	31.647
914	S6305	300.00	30.00	68.707