


GENERAL SHAPE

ROUND RODS



| SL. No. | Section No. | A | Weight kg/m |
|---------|----------------|-------|-------------|
| 1 | 11041 | 4.00 | 0.034 |
| 2 | 11042 | 5.00 | 0.053 |
| 3 | G103581 | 5.20 | 0.057 |
| 4 | 11047 | 6.00 | 0.076 |
| 5 | 11001 | 6.35 | 0.086 |
| 6 | 11044 | 6.40 | 0.087 |
| 7 | 11139 | 7.00 | 0.104 |
| 8 | 11059 | 7.20 | 0.110 |
| 9 | S6463 | 7.35 | 0.115 |
| 10 | 11081 | 7.65 | 0.124 |
| 11 | 11002 | 7.94 | 0.134 |
| 12 | 11029 | 8.00 | 0.136 |
| 13 | S6251 | 8.20 | 0.143 |
| 14 | 11003 | 8.50 | 0.153 |
| 15 | 11184 | 8.76 | 0.163 |
| 16 | G103082 | 8.80 | 0.164 |
| 17 | 11068 | 8.85 | 0.166 |
| 18 | 11185 | 8.97 | 0.171 |
| 19 | 11004 | 9.00 | 0.172 |
| 20 | 11186 | 9.08 | 0.175 |
| 21 | 11067 | 9.18 | 0.179 |
| 22 | 11187 | 9.21 | 0.180 |
| 23 | 11046 | 9.30 | 0.183 |
| 24 | 11188 | 9.40 | 0.187 |
| 25 | 11005 | 9.52 | 0.192 |
| 26 | 11189 | 9.53 | 0.193 |
| 27 | 11069 | 9.66 | 0.198 |
| 28 | 11190 | 9.67 | 0.198 |
| 29 | 11106 | 9.80 | 0.203 |
| 30 | 11191 | 9.92 | 0.209 |
| 31 | 11006 | 10.00 | 0.212 |
| 32 | 11246 | 10.40 | 0.229 |
| 33 | 11192 | 10.63 | 0.240 |
| 34 | 11070 | 10.80 | 0.247 |
| 35 | 11007 | 11.00 | 0.257 |
| 36 | 11193 | 11.13 | 0.263 |
| 37 | 11128 | 11.20 | 0.266 |
| 38 | 11194 | 11.35 | 0.273 |
| 39 | 11071 | 11.53 | 0.282 |
| 40 | 11195 | 11.60 | 0.285 |
| 41 | 11082 | 11.70 | 0.290 |
| 42 | 11008 | 12.00 | 0.305 |
| 43 | 11247 | 12.12 | 0.312 |
| 44 | 11209 | 12.30 | 0.321 |
| 45 | 11009 | 12.70 | 0.342 |

| SL. No. | Section No. | A | Weight kg/m |
|---------|----------------|-------|-------------|
| 46 | 11010 | 13.00 | 0.358 |
| 47 | 11011 | 13.50 | 0.386 |
| 48 | 11116 | 14.00 | 0.416 |
| 49 | 11022 | 14.30 | 0.434 |
| 50 | 11012 | 14.50 | 0.446 |
| 51 | G103913 | 14.50 | 0.446 |
| 52 | 11085 | 15.00 | 0.477 |
| 53 | 11066 | 15.30 | 0.496 |
| 54 | 11083 | 15.60 | 0.516 |
| 55 | 11129 | 15.70 | 0.523 |
| 56 | 11013 | 15.88 | 0.535 |
| 57 | 11025 | 16.00 | 0.543 |
| 58 | 11133 | 16.25 | 0.560 |
| 59 | 11079 | 16.70 | 0.591 |
| 60 | 11135 | 17.00 | 0.613 |
| 61 | G103914 | 17.00 | 0.613 |
| 62 | 11026 | 17.50 | 0.649 |
| 63 | 11206 | 17.70 | 0.664 |
| 64 | 11023 | 18.00 | 0.687 |
| 65 | 11096 | 18.30 | 0.710 |
| 66 | 11217 | 18.60 | 0.734 |
| 67 | 11113 | 19.00 | 0.765 |
| 68 | 11014 | 19.05 | 0.770 |
| 69 | 11168 | 19.70 | 0.823 |
| 70 | 11033 | 20.00 | 0.848 |
| 71 | G103915 | 20.00 | 0.848 |
| 72 | 11219 | 20.63 | 0.903 |
| 73 | 11015 | 21.00 | 0.935 |
| 74 | 11130 | 21.50 | 0.980 |
| 75 | 11030 | 22.00 | 1.027 |
| 76 | 11021 | 22.20 | 1.045 |
| 77 | 11117 | 23.00 | 1.122 |
| 78 | 11112 | 24.00 | 1.221 |
| 79 | 11107 | 24.50 | 1.272 |
| 80 | G103133 | 24.50 | 1.273 |
| 81 | 11034 | 25.00 | 1.325 |
| 82 | 11016 | 25.40 | 1.368 |
| 83 | 11137 | 25.50 | 1.379 |
| 84 | 11251 | 25.65 | 1.395 |
| 85 | 11024 | 25.80 | 1.412 |
| 86 | 11231 | 26.10 | 1.445 |
| 87 | 11040 | 26.30 | 1.467 |
| 88 | 11036 | 27.00 | 1.546 |
| 89 | 11165 | 27.80 | 1.639 |
| 90 | 11031 | 28.00 | 1.662 |
| 91 | 11091 | 28.57 | 1.731 |
| 92 | 11035 | 30.00 | 1.908 |
| 93 | 11150 | 30.40 | 1.960 |
| 94 | 11132 | 30.90 | 2.025 |
| 95 | 11218 | 31.75 | 2.138 |

GENERAL SHAPE

ROUND RODS

| SL. No. | Section No. | A | Weight kg/m |
|---------|----------------|--------|-------------|
| 96 | 11027 | 31.80 | 2.144 |
| 97 | 11028 | 32.00 | 2.171 |
| 98 | 11198 | 32.00 | 2.171 |
| 99 | 11199 | 32.00 | 2.171 |
| 100 | 11162 | 32.40 | 2.226 |
| 101 | 11077 | 33.00 | 2.309 |
| 102 | 11226 | 33.00 | 2.309 |
| 103 | 11173 | 33.50 | 2.380 |
| 104 | 11045 | 34.92 | 2.585 |
| 105 | 11222 | 35.00 | 2.598 |
| 106 | 11103 | 35.60 | 2.688 |
| 107 | 11084 | 36.00 | 2.748 |
| 108 | 11174 | 36.70 | 2.856 |
| 109 | 11147 | 37.50 | 2.982 |
| 110 | 11032 | 38.00 | 3.062 |
| 111 | 11017 | 38.10 | 3.078 |
| 112 | 11167 | 38.50 | 3.143 |
| 113 | 11065 | 39.00 | 3.225 |
| 114 | 11202 | 39.70 | 3.342 |
| 115 | 11018 | 40.00 | 3.393 |
| 116 | 11149 | 40.90 | 3.547 |
| 117 | G101841 | 41.275 | 3.613 |
| 118 | 11048 | 42.00 | 3.741 |
| 119 | 11243 | 42.00 | 3.741 |
| 120 | 11175 | 42.86 | 3.895 |
| 121 | 11020 | 43.00 | 3.920 |
| 122 | 11234 | 44.00 | 4.105 |
| 123 | 11037 | 44.45 | 4.190 |
| 124 | 11056 | 44.70 | 4.237 |
| 125 | 11086 | 45.00 | 4.294 |
| 126 | 11172 | 45.50 | 4.390 |
| 127 | G100091 | 46.00 | 4.487 |
| 128 | 11215 | 46.80 | 4.645 |
| 129 | 11136 | 48.10 | 4.906 |
| 130 | 11180 | 48.50 | 4.988 |
| 131 | 11210 | 48.50 | 4.988 |
| 132 | 11019 | 50.00 | 5.301 |
| 133 | 11038 | 50.80 | 5.472 |
| 134 | G103885 | 51.40 | 5.602 |
| 135 | 11049 | 51.75 | 5.679 |
| 136 | G100042 | 52.00 | 5.734 |
| 137 | G102635 | 52.50 | 5.845 |
| 138 | 11057 | 53.50 | 6.070 |
| 139 | 11169 | 53.98 | 6.179 |
| 140 | 11205 | 54.00 | 6.184 |
| 141 | G102819 | 54.40 | 6.276 |
| 142 | 11073 | 55.00 | 6.415 |
| 143 | G100381 | 55.00 | 6.415 |
| 144 | 11060 | 56.00 | 6.650 |
| 145 | 11090 | 57.15 | 6.926 |

| SL. No. | Section No. | A | Weight kg/m |
|---------|----------------|--------|-------------|
| 146 | 11076 | 60.00 | 7.634 |
| 147 | 11164 | 60.32 | 7.716 |
| 148 | G101950 | 61.00 | 7.891 |
| 149 | 11216 | 61.20 | 7.942 |
| 150 | 11235 | 61.91 | 8.128 |
| 151 | 11114 | 62.60 | 8.310 |
| 152 | 11050 | 63.50 | 8.550 |
| 153 | 11088 | 65.00 | 8.959 |
| 154 | 11126 | 65.40 | 9.070 |
| 155 | 11151 | 66.68 | 9.429 |
| 156 | 11111 | 68.20 | 9.863 |
| 157 | 11102 | 68.30 | 9.892 |
| 158 | 11118 | 69.20 | 10.155 |
| 159 | 11119 | 69.40 | 10.213 |
| 160 | 11087 | 70.00 | 10.390 |
| 161 | 11063 | 71.00 | 10.690 |
| 162 | 11105 | 72.00 | 10.993 |
| 163 | 11166 | 73.00 | 11.301 |
| 164 | 11204 | 73.66 | 11.506 |
| 165 | 11094 | 75.00 | 11.928 |
| 166 | 11051 | 76.20 | 12.312 |
| 167 | 11229 | 77.00 | 12.573 |
| 168 | 11254 | 78.00 | 12.902 |
| 169 | 11120 | 79.40 | 13.369 |
| 170 | 11061 | 80.00 | 13.572 |
| 171 | 11221 | 80.00 | 13.572 |
| 172 | 11232 | 80.10 | 13.606 |
| 173 | 11212 | 81.00 | 13.913 |
| 174 | 11115 | 82.55 | 14.450 |
| 175 | 11092 | 85.00 | 15.321 |
| 176 | 11237 | 85.73 | 15.585 |
| 177 | 11240 | 86.00 | 15.684 |
| 178 | 11122 | 88.90 | 16.759 |
| 179 | 11062 | 90.00 | 17.176 |
| 180 | 11163 | 91.00 | 17.560 |
| 181 | 11248 | 93.00 | 18.314 |
| 182 | 11242 | 95.00 | 19.138 |
| 183 | 11123 | 95.25 | 19.239 |
| 184 | 11176 | 97.00 | 19.952 |
| 185 | 11080 | 100.00 | 21.206 |
| 186 | 11233 | 100.10 | 21.248 |
| 187 | 11244 | 101.60 | 21.890 |
| 188 | 11052 | 101.60 | 21.890 |
| 189 | 11238 | 104.78 | 23.281 |
| 190 | 11148 | 105.00 | 23.379 |
| 191 | 11093 | 107.95 | 24.711 |
| 192 | G101079 | 109.00 | 25.195 |
| 193 | 11074 | 110.00 | 25.659 |
| 194 | 11183 | 110.60 | 25.940 |
| 195 | G100293 | 111.00 | 26.128 |

GENERAL SHAPE

ROUND RODS

| SL. No. | Section No. | A | Weight kg/m |
|---------|----------------|--------|-------------|
| 196 | 11181 | 111.40 | 26.316 |
| 197 | 11141 | 114.30 | 27.704 |
| 198 | 11095 | 115.00 | 28.045 |
| 199 | 11211 | 117.00 | 29.029 |
| 200 | 11207 | 118.00 | 29.527 |
| 201 | 11039 | 120.00 | 30.536 |
| 202 | 11124 | 120.65 | 30.868 |
| 203 | G102179 | 123.00 | 32.082 |
| 204 | 11055 | 125.00 | 33.134 |
| 205 | 11127 | 127.00 | 34.203 |
| 206 | 11227 | 128.00 | 34.744 |
| 207 | 11089 | 130.00 | 35.838 |
| 208 | 11220 | 130.17 | 35.932 |
| 209 | 11252 | 132.00 | 36.949 |
| 210 | 11228 | 133.00 | 37.511 |
| 211 | 11152 | 133.35 | 37.709 |
| 212 | 11099 | 135.00 | 38.647 |
| 213 | G103883 | 136.53 | 39.528 |
| 214 | 11178 | 139.50 | 41.267 |
| 215 | 11075 | 140.00 | 41.563 |
| 216 | 11104 | 143.00 | 43.364 |
| 217 | 11208 | 145.00 | 44.585 |
| 218 | 11101 | 146.00 | 45.202 |
| 219 | 11196 | 146.00 | 45.202 |
| 220 | G101702 | 146.00 | 45.202 |
| 221 | 11064 | 150.00 | 47.713 |
| 222 | 11179 | 151.50 | 48.672 |
| 223 | 11197 | 151.60 | 48.736 |
| 224 | 11125 | 152.40 | 49.252 |
| 225 | 11097 | 153.00 | 49.640 |
| 226 | 11143 | 155.00 | 50.947 |
| 227 | G101611 | 155.00 | 50.947 |
| 228 | 11239 | 155.58 | 51.329 |
| 229 | 11182 | 156.00 | 51.606 |
| 230 | 11224 | 158.75 | 53.442 |
| 231 | 11144 | 160.00 | 54.287 |
| 232 | 11078 | 162.00 | 55.652 |
| 233 | 11109 | 165.00 | 57.732 |
| 234 | 11100 | 170.00 | 61.285 |
| 235 | 11153 | 171.45 | 62.335 |
| 236 | 11214 | 171.45 | 62.335 |
| 237 | 11241 | 171.45 | 62.335 |
| 238 | 11134 | 175.00 | 64.942 |
| 239 | 11154 | 177.80 | 67.037 |
| 240 | 11058 | 180.00 | 68.706 |
| 241 | 11155 | 184.15 | 71.911 |
| 242 | G103124 | 185.00 | 72.577 |
| 243 | 11098 | 190.00 | 76.552 |
| 244 | 11140 | 190.50 | 76.956 |
| 245 | G101697 | 192.50 | 78.581 |

| SL. No. | Section No. | A | Weight kg/m |
|---------|----------------|--------|-------------|
| 246 | 11213 | 195.00 | 80.635 |
| 247 | 11108 | 200.00 | 84.823 |
| 248 | S6526 | 201.00 | 85.673 |
| 249 | 11131 | 203.00 | 87.387 |
| 250 | G101854 | 203.00 | 87.387 |
| 251 | 11159 | 203.20 | 87.559 |
| 252 | G101754 | 204.00 | 88.250 |
| 253 | 11230 | 205.00 | 89.117 |
| 254 | 11142 | 208.00 | 91.745 |
| 255 | 11245 | 209.55 | 93.117 |
| 256 | 11236 | 209.55 | 93.117 |
| 257 | G102147 | 210.00 | 93.517 |
| 258 | 11138 | 211.00 | 94.410 |
| 259 | 11156 | 215.90 | 98.846 |
| 260 | G100869 | 216.50 | 99.396 |
| 261 | 11171 | 220.00 | 102.636 |
| 262 | 11160 | 228.60 | 110.817 |
| 263 | 11145 | 230.00 | 112.178 |
| 264 | G100142 | 235.00 | 117.109 |
| 265 | 11253 | 240.00 | 122.145 |
| 266 | 11161 | 241.30 | 123.472 |
| 267 | 11203 | 245.00 | 127.288 |
| 268 | 11201 | 250.00 | 132.536 |
| 269 | 11146 | 254.00 | 136.811 |
| 270 | 11225 | 260.00 | 143.351 |
| 271 | 11157 | 260.35 | 143.737 |
| 272 | 11177 | 264.00 | 147.796 |
| 273 | 11200 | 268.00 | 152.308 |
| 274 | G100659 | 270.00 | 154.590 |
| 275 | 11158 | 279.40 | 165.541 |
| 276 | G102284 | 280.00 | 166.253 |
| 277 | 11170 | 281.94 | 168.565 |
| 278 | 11223 | 285.00 | 172.244 |